FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 01 CHARLOTTE

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1		DIRECTION 2		AADT TWO-WAY		"K" FCTR	"D" FCTR	"T" FCTR
0001		SR 776, EAST OF CR 775 & AINGER CREEK CH14	E	14500E	W	14500E	29000	F	9.0	53.0F	5.1P
0002		CR 775/PLACIDA, S OF SR 776 AT AINGER CREEK CC	N	8000	S	8200	16200	C	9.0	53.5F	3.9P
0004		SR 776, SOUTHWEST OF SR 45/US 41 CH306	E	14500	W	14000	28500	C	9.0	53.0F	10.6A
0007		SR45/US41, 300' NW OF MURDOCK CIR/SE OF SR776 C	N	21500E	S	21500E	43000	S	9.0	52.9F	3.9P
0008		SR 35/US 17, N OF CR 764/S WASHINGTON LP RD (CH1	N	8500E	S	8300E	16800	S	9.0	53.6F	15.9P
0010		SR 35/US 17, 2500' NE OF CR 74/BERMONT RD CH28	E	9600E	W	9700E	19300	F	9.0	53.6F	20.6P
0011		N BEACH RD, 100 FT S OF LEMON BAY DR, ENGLEWOOD	N	2500E	S	2700E	5200	R	9.0	53.5F	9.8F
0015		SR 35/US 17 SB/MARION AV, NE OF DUPONT ST CH 2	S	11500		0	11500	C	9.0	99.9W	6.3A
0016		SR 45/US41, 1 MI NORTH OF CR 765 @ BRIDGE CH28	N	15500E	S	16000E	31500	F	9.0	52.9F	8.5P
0019		SR 45/US 41, SOUTHEAST OF ZEMEL ROAD CH18	N	13500E	S	12500E	26000	S	9.5	52.9F	12.6P
0021		SR 45/US 41, SE OF CR 765/ALLIGATOR CREEK CH18	N	8100	S	8100	16200	C	9.0	52.9F	15.5A
0022		CR 775/ PLACIDA, S OF ROTUNDA BLVD CC 140	N	6500	S	6300	12800	C	9.0	53.5F	6.0P
0023		SR 35/US 17, SOUTH OF DESOTO COUNTY LINE CH	N	8100E	S	8000E	16100	F	9.5	53.6F	20.5P
0029		SR 776, 200' WEST OF CR 771 CH1	E	14500E	W	14500E	29000	S	9.0	53.0F	7.6P
0030		SR45/US41, 300' NW OF OLEAN BLVD.	N	25000E	S	24000E	49000	S	9.0	52.9F	3.6P
0032		SR45/US41NB, NW OF PEACE RIVER/MELBOURNE ST CH2		0E		0E	30500	S	9.0	99.9W	5.1P

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED
"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011
AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST; V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN
"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

COUNTY: 01 CHARLOTTE

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1		DIRECTION 2		AADT TWO-WAY		"K" FCTR	"D" FCTR	"T" FCTR
0033		SR45/US41/CROSS ST SB, NW OF PEACE RIVR BDG CH2		0E		0E	29500	S	9.0	99.9W	5.7P
0034		SR 93/I 75, SOUTHEAST OF NORTH JONES LOOP RD/CR	N	35000	S	34500	69500	C	9.5	52.4F	17.2A
0036		SR 93/I 75, 0.4 MI SE OF HARBOR VIEW ROAD/CR 776	N	36500	S	39500	76000	C	9.0	52.4F	17.4A
0037		SR 93/I 75, SOUTHEAST OF KINGS HIGHWAY/CR 769	N	35000	S	37000	72000	C	9.0	52.4F	15.8A
0038		SR 93/I 75, NORTHWEST OF KINGS HIGHWAY/CR 769	N	32000	S	33000	65000	C	9.0	52.4F	17.4A
0039		SR-31, S OF CR 74	N	4400E	S	4600E	9000	S	9.5	55.0F	30.8P
0040		SR 776, WEST OF CR 775/PINE STREET (CC1	W	17000E	E	17500E	34500	S	9.0	53.0F	2.4P
0041		SR 31, NORTH OF CR 74	N	3600E	S	3800E	7400	S	9.5	55.0F	45.8P
0042		SR 776, WEST OF GULFSTREAM BOULEVARD CH144	E	19500E	W	19000E	38500	S	9.0	53.0F	4.2P
0044		SR 776, WEST OF SUNNYBROOKE BOULEVARD CH146	E	14500	W	15500	30000	C	9.0	53.0F	7.6A
0045		SR 776, W OF SAM KNIGHT CRK/W OF BISCAYNE DR	E	19500E	W	19500E	39000	S	9.0	53.0F	8.4P
0048		SR 45/US 41, 600' W OF N TOLEDO BLADE/CR39 CH2	W	19000E	E	19000E	38000	F	9.0	52.9F	5.5P
0049		SR-45/US-41, N OF SR 776 CH23	W	19500E	E	18500E	38000	S	9.0	52.9F	4.7P
0050		SR 45/US 41, NW OF COCHRAN BOULEVARD CH97	N	28000	S	27000	55000	C	9.0	52.9F	4.1A
0051		SR 776, EAST OF W GULFSTREAM BLVD CH143	E	16000E	W	16000E	32000	S	9.0	53.0F	5.9P
0052		SR 776, EAST OF SUNNYBROOK BOULEVARD CH145	E	13500E	W	13000E	26500	F	9.0	53.0F	9.7P

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED
"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011
AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST; V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN
"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

COUNTY: 01 CHARLOTTE

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1		DIRECTION 2		AADT TWO-WAY		"K" FCTR	"D" FCTR	"T" FCTR
0055		SR-93/I-75, S OF TUCKERS GRADE BLVD	N	34000E	S	34000E	68000	F	10.5	52.4F	13.5P
0058		SHREVE ST, NORTH OF PAMPANO TERRACE	N	2100E	S	2300E	4400	F	9.0	53.5F	5.7F
0059		LOVELAND BLVD, S OF PEACHLAND BLVD	N	4400	S	4500	8900	C	9.0	53.5F	5.7F
0060		RAMPART BLVD, BTWN LOVELAND BLVD AND KINGS HWY	E	3000E	W	2100E	5100	F	9.0	53.5F	17.4F
0061		PELLAM BLVD, BTWN EDGEWATER DR AND COCHRAN BLVD	N	1600E	S	1700E	3300	R	9.0	53.5F	17.4F
0062		PAULSON DR, BTWN US 41 AND VETERANS BLVD	E	2600E	W	2800E	5400	F	9.0	53.5F	4.1F
0063		PRINEVILLE ST, BTWN PAULSON DR AND HILLSBOROUGH	N	2800E	S	2700E	5500	F	9.0	53.5F	5.7F
0064		RAMPART BLVD, BTWN VICTORIA ESTATES ST AND KINGS	E	6300	W	7500	13800	C	9.0	53.5F	5.7F
0228	T	SR-776,427' SW OF RIVERBEACH DR,CHARLOTTE CO.	E	17206	W	17647	34853	C	9.0	54.4A	9.8A
0350	T	SR-93/I-75,@AIRPORT RD OP,PUNTA GORDA,CHARLOTTE	N	36809	S	37627	74436	C	9.5	52.4A	16.7A
0367	T	SR-45/US-41,4.6 MI N OF LEE CO LINE,CHARLOTTE CO	N	10828	S	10461	21289	C	9.5	51.5A	11.3A
4002		CHAMBERLAIN BLVD, WEST OF US 41/SR 45 CC 02	E	1200E	W	1000E	2200	F	9.0	53.5F	5.7F
4007		EDGEWATER DRIVE, E OF FLAMINGO BLVD CC 07	E	3200E	W	3000E	6200	F	9.0	53.5F	17.4F
4009		FLAMINGO BLVD, S OF SR 776/EL JOBEAN RD CC 09	N	3000E	S	2900E	5900	F	9.0	53.5F	4.1F
4011		HILLSBOROUGH BLVD, E OF TOLEDO BLADE/CR39 CC	E	3800E	W	3500E	7300	F	9.0	53.5F	7.1P
4026		VETERANS BLVD, EAST OF HARBOR BLVD CC 26	E	14000E	W	13000E	27000	F	9.0	53.5F	12.0P

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED
"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011
AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST; V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN
"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

COUNTY: 01 CHARLOTTE

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1		DIRECTION 2		AADT TWO-WAY		"K" FCTR	"D" FCTR	"T" FCTR
4031		COLLINGSWOOD BLVD, NORTH OF EDGEWATER DR CC31	N	2600E	S	2600E	5200	F	9.0	53.5F	5.7F
4035		EDGEWATER DR, EAST OF COUSLEY DR CC 35	E	7500E	W	7800E	15300	F	9.0	53.5F	5.7F
4040		EDGEWATER DR, WEST OF MIDWAY BLVD CC40	E	5000E	W	5200E	10200	F	9.0	53.5F	5.7F
4048		HARBOR BLVD, NORTH OF OLEAN BLVD CC 48	N	5300E	S	5400E	10700	F	9.0	53.5F	4.4P
4054		KINGS HWY, N OF HARBORVIEW RD CC 54	N	8000E	S	7600E	15600	F	9.0	53.5F	5.9P
4058		LAKEVIEW BLVD, S OF COCHRAN BLVD CC 58	N	5000E	S	5200E	10200	F	9.0	53.5F	17.4F
4062		MIDWAY BLVD, N OF EDGEWATER DR CC 62	N	2100	S	2000	4100	C	9.0	53.5F	17.4F
4065		MIDWAY BLVD, EAST OF HARBOR BLVD CC 65	E	9100E	W	9300E	18400	F	9.0	53.5F	5.7F
4066		MIDWAY BLVD, WEST OF HARBOR BLVD CC 66	E	8500E	W	9000E	17500	F	9.0	53.5F	5.7F
4071		OLEAN BLVD, EAST OF CONWAY BLVD CC 71	E	2900E	W	2700E	5600	F	9.0	53.5F	5.0P
4072		OLEAN BLVD, W OF AARON ST CC 72	E	4900E	W	4600E	9500	F	9.0	53.5F	5.7F
4083		MURDOCK CIRCLE, WEST OF US 41/SR 45 CC 83	E	6800E	W	5800E	12600	F	9.0	53.5F	2.7P
4087		MURDOCK CIRCLE, EAST OF US 41/SR 45 CC 87	E	6300E	W	6500E	12800	F	9.0	53.5F	4.1F
4103		HARBORVIEW DRIVE, E OF I-75 CC 103	E	5400	W	5700	11100	C	9.0	53.5F	17.4F
4104		HARBORVIEW DRIVE, WEST OF I-75 CC 104	E	5400E	W	5100E	10500	F	9.0	53.5F	9.8P
4105		KINGS HWY, N OF SANDHILL BLVD, CC 105	N	11500E	S	11500E	23000	F	9.0	53.5F	9.7P

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED
"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011
AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST; V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN
"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

COUNTY: 01 CHARLOTTE

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1		DIRECTION 2		AADT TWO-WAY		"K" FCTR	"D" FCTR	"T" FCTR
4109		SANDHILL BLVD, EAST OF KINGS HWY CC 109	E	7900E	W	7900E	15800	F	9.0	53.5F	5.7F
4111		CR 74/BERMONT ROAD, EAST OF US 17/SR 35 CC 111	E	4400E	W	4400E	8800	F	9.0	53.5F	32.1P
4113		PEACHLAND BLVD, W OF VETERANS BLVD	E	6900E	W	5600E	12500	F	9.0	53.5F	17.4F
4114		KINGS HWY., SOUTH OF VETERANS BLVD.	N	13000E	S	12500E	25500	F	9.0	53.5F	6.5P
4123		CHANCELLOR BLVD, EAST OF BISCAYNE DRIVE CC 12	E	2000E	W	2200E	4200	F	9.0	53.5F	5.7F
4124		CHANCELLOR BLVD, EAST OF FOUNTAIN ST CC 124	E	2700E	W	2800E	5500	F	9.0	53.5F	5.7F
4152		COOPER ST, SOUTH OF GRANT STREET CC 152	N	4100E	S	4200E	8300	F	9.0	53.5F	17.4F
4153		FLORIDA ST, NORTH OF AIRPORT RD CC 153	N	450E	S	400E	850	F	9.0	53.5F	9.0P
4156		GASPARILLA RD N OF EL GASPAR DR	N	3500E	S	3600E	7100	F	9.0	53.5F	13.0P
4167		ACLINE RD, WEST OF TAYLOR RD CC 167	E	1000E	W	800E	1800	F	9.0	53.5F	11.7P
4170		AQUI ESTA DR, WEST OF US 41/SR 45 CC 170	E	4200E	W	4200E	8400	F	9.0	53.5F	5.7F
4171		BURNT STORE RD, WEST OF US 41/SR 45	N	10500E	S	10500E	21000	F	9.0	53.0F	10.4P
4173		JONES LOOP RD N, EAST OF TAYLOR RD CC 173	W	13000E	E	13000E	26000	F	9.5	53.5F	19.9P
4174		JONES LOOP RD N, EAST OF PIPER RD CC 174	W	2000E	E	2000E	4000	F	9.5	53.5F	15.9P
4178		RIVERSIDE DR, WEST OF FLORIDA STREET CC 178	E	1200E	W	1500E	2700	F	9.0	53.5F	9.7P
4187		BURNT STORE RD/CR 765, AT LEE COUNTY LINE CC 18	N	7800E	S	7700E	15500	F	9.5	53.0F	13.4F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED
"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011
AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST; V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN
"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

COUNTY: 01 CHARLOTTE

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1		DIRECTION 2		AADT TWO-WAY		"K" FCTR	"D" FCTR	"T" FCTR
4193		JONES LOOP RD S, EAST OF TAYLOR RD CC 193	E	1200E	W	1200E	2400	F	9.0	53.5F	5.7F
4196		TOLEDO BLADE BLVD, N OF SR 45/US 41	N	10000E	S	10000E	20000	F	9.0	53.5F	5.7F
4225		DEEP CREEK BLVD, NORTH OF SANDHILL BLVD CC 225	N	4000E	S	4000E	8000	F	9.0	53.5F	5.7F
4248		AIRPORT RD, EAST OF US 41/SR 45 CC 248	E	2800E	W	3100E	5900	F	9.0	53.5F	17.4F
4249		AIRPORT RD, WEST OF TAYLOR RD CC 249	E	2900E	W	2900E	5800	F	9.0	53.5F	5.2P
4256		NOTRE DAME BLVD, WEST OF PINETRAIL RD CC 256	E	450E	W	450E	900	F	9.0	53.5F	5.7F
4258		COCHRAN BLVD W OF EDUCATION WAY	E	5300E	W	5900E	11200	E	9.0	53.5F	17.4F
4259		COCHRAN BLVD, N OF US 41	N	10000E	S	10500E	20500	F	9.0	53.5F	4.4P
4260		PEACHLAND BLVD E OF COCHRAN BLVD	E	4700E	W	4900E	9600	E	9.0	53.5F	17.4F
4273		NORTH JONES LOOP ROAD, WEST OF TAYLOR ROAD	E	9200E	W	8900E	18100	F	9.0	53.5F	18.3P
4282		VETERANS BLVD, E OF COCHRAN/TOLEDO BLADE BLVD CC	E	14000E	W	13000E	27000	F	9.0	53.5F	10.7P
4310		WINCHESTER BLVD, 0.26 MI N OF SR-776	N	5100E	S	4800E	9900	F	9.0	53.5F	12.9P
4314		HENRY STREET, W OF MARION AVE PG 314	E	6600E	W	6700E	13300	F	9.0	53.5F	6.6P
4315		HENRY STREET, EAST OF SHREVE PG 315	E	1700E	W	1700E	3400	F	9.0	53.5F	5.7F
4326		CR-765A/TAYLOR RD, 450 FT SE OF US-41	N	3900E	S	3000E	6900	F	9.0	53.5F	4.2P
4329		W MARION AVE, W OF CORONADO DR PG 329	E	2200E	W	2100E	4300	F	9.0	53.5F	9.8F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED
"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011
AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST; V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN
"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

COUNTY: 01 CHARLOTTE

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1		DIRECTION 2		AADT TWO-WAY		"K" FCTR	"D" FCTR	"T" FCTR
4330		W MARION AVE, WEST OF BAL HARBOR BLVD PG 330	E	3200E	W	3200E	6400	F	9.0	53.5F	5.7F
4400		AIRPORT RD, 0.32 MI E OF TAYLOR RD	E	3600E	W	3500E	7100	R	9.0	53.5F	5.7F
4401		GOLF COURSE BLVD, 1100 FT S OF US-17	N	900E	S	1000E	1900	F	9.0	53.5F	15.8P
4405		FLAMINGO BLVD, S OF US 41/TAMIAMI TRL (HPMS ID:	N	300E	S	300E	600	F	9.0	53.5F	5.7F
4406		ATWATER ST, 400 FT N OF PEACHLAND BLVD	N	2000E	S	2000E	4000	F	9.0	53.5F	6.2P
4414		OLEAN BLVD, 850 FT E OF CR-769/KINGS HWY	E	400E	W	450E	850	R	9.0	53.5F	5.7F
4421		CR-776A/MELBOURNE ST, 450 FT N OF US-41/TAMIAMI	N	2200E	S	1000E	3200	F	9.0	53.5F	6.9P
4422		PIPER RD, S OF AIRPORT RD	N	5400E	S	5100E	10500	F	9.0	53.5F	5.7F
4423		E HENRY STREET, 700 FT E OF I-75	E	1000E	W	1200E	2200	F	9.0	53.5F	5.7F
4424		GASPARILLA ROAD, 300 FT N OF GULF SHORES DR AND	N	4500E	S	4600E	9100	R	9.0	53.5F	5.7F
4425		ROTANDA BLVD. WEST, E OF BOUNDARY BLVD	E	1700E	W	1900E	3600	E	9.0	53.5F	5.7F
4426		TUCKERS GRADE BLVD, BTWN TRIBUNE BLVD AND LAMON	E	8400E	W	8200E	16600	F	9.0	53.5F	5.7F
4427		TELMAN RD, BTWN CYPRESS RD AND OPAL DR		E		E	6500	E	9.0	53.5F	19.9
4428		WINCHESTER BLVD., N OF WORTH AVE	N	4500E	S	4900E	9400	E	9.0	53.5F	5.7F
4429		CARMALITA ST, 350 FT E OF COOPER ST	E	1200E	W	1200E	2400	R	9.0	53.5F	5.7F
4430		BAL HARBOR BLVD, BTWN VIA BIANCA AND VIA DOLCE V	N	3400E	S	3400E	6800	R	9.0	53.5F	5.7F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED
"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011
AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST; V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN
"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

COUNTY: 01 CHARLOTTE

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	"D" FCTR	"T" FCTR
4431		WEST MARION AVE, BTWN BERRY AND SHREVE ST	0E	0E	6200 F	9.0	99.9W	5.7F
4432		OLEAN BLVD, 650 FT E OF CLIFFORD ST	E 2200E	W 2300E	4500 F	9.0	53.5F	5.7F
4433		WILMINGTON BLVD, BTWN SHEFFIELD AND BOWIE LANES	N 1200E	S 1600E	2800 F	9.0	53.5F	5.7F
4434		PINE STREET, BTWN E 4TH AND E 5TH ST	N 5100E	S 4900E	10000 F	9.0	53.5F	5.7F
4435		BRIG CIRCLE W, 100 FT S OF MASTER DR, ROTONDA	N 200E	S 150E	350 S	9.0	53.5F	5.7F
4436		BAYSHORE DRIVE, 300 FT S OF GLASS LN	N 1700E	S 1700E	3400 R	9.0	53.5F	5.7F
4437		MIDWAY BLVD, 850 FT NE OF US 41, BTWN ALBURY DR	E 9000E	W 9700E	18700 F	9.0	53.5F	5.7F
4439		AQUI ESTA DR, 500 FT NE OF US-41, PUNTA GORDA	N 2200E	S 2000E	4200 F	9.0	53.5F	5.7F
4440		DEBORAH DR, BTWN CHARLOTTE AMALIE CT AND WYATT C	N 1200E	S 1200E	2400 R	9.0	53.5F	5.7F
4441		WHIPPOORWILL BLVD, BTWN ALBATROSS DR AND KINGLET	N 1600E	S 1500E	3100 R	9.0	53.5F	5.7F
4442		QUESADA AVE, BTWN HINTON ST AND DORCHESTER ST	E 3600E	W 3000E	6600 R	9.0	53.5F	5.7F
4443		ORLANDO BLVD, 150 FT S OF PEACHLAND BLVD	N 1500E	S 1200E	2700 R	9.0	53.5F	5.7F
4444		CAMPBELL ST, 150 FT N OF CHAMBERLAIN BLVD	N 150E	S 150E	300 F	9.0	53.5F	11.7P
4445		JACOBS STREET, BTWN PULLEN AND BENDER AVE	N 1700E	S 1700E	3400 F	9.0	53.5F	5.7F
4450		HARNESS RD, BTWN GASPARILLA RD AND MOCKINGBIRD D	E 150E	W 150E	300 F	9.0	53.5F	5.7F
4451		ROTUNDA BLVD. E., E OF BOUNDARY BLVD	E 2500E	W 2600E	5100 S	9.0	53.5F	5.7F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED
"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011
AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST; V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN
"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

COUNTY: 01 CHARLOTTE

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1		DIRECTION 2		AADT TWO-WAY		"K" FCTR	"D" FCTR	"T" FCTR
4452		BISCAYNE BLVD, BTWN CLEARVIEW DR AND EPPINGER DR	N	600E	S	500E	1100	R	9.0	53.5F	5.7F
4453		CORNELIUS BLVD, 150 FT S OF CAROUSEL LN	N	2200E	S	2300E	4500	R	9.0	53.5F	5.7F
4454		ATWATER STREET, BTWN SPANGLER TERR AND ELROSE AV	N	4500E	S	5400E	9900	S	9.0	53.5F	5.7F
4455		RIO DE JANIERO AVE S OF TATTERSALL LN	N	3000E	S	3000E	6000	R	9.0	53.5F	5.7F
4456		SUNNYBROOK BLVD, BTWN CARNEGIE AVE AND PENDLETON	N	4000E	S	3600E	7600	R	9.0	53.5F	5.7F
4457		SPINNAKER BLVD, BTWN OCEANSPRAY BLVD AND BENTLEY	N	1500E	S	1200E	2700	R	9.0	53.5F	5.7F
4458		WILLMINGTON BLVD, BTWN LAFITTE PL/CLAREMONT DR A	E	2300E	W	2300E	4600	R	9.0	53.5F	5.7F
4459		W OLYMPIA AVE, 250 FT SW OF SHREVE ST		0E		0E	8300	R	9.0	99.9W	5.7F
4461		SAN CASA RD, 150 FT N OF WORTH AVE	N	3600E	S	3400E	7000	R	9.0	53.5F	5.7F
4462		CAPE HAZE DR, 270 FT N OF LINKS LN	N	1600E	S	1600E	3200	R	9.0	53.5F	5.7F
4464		HARBOR BLVD, 400 FT N OF PEACHLAND BLVD	N	1200E	S	1500E	2700	R	9.0	53.5F	5.7F
4465		PUNTA GORDA BCH RD, 830 FT E OF RNDABOUT, AT BRI	E	7000E	W	7000E	14000	R	9.0	53.5F	5.7F
4466		HARBOR BLVD, 200 FT N OF CONCORD DR	N	2300E	S	2400E	4700	S	9.0	53.5F	5.7F
4467		GILLOT BLVD, 300 FT NW OF DAVID BLVD	N	850E	S	950E	1800	R	9.0	53.5F	5.7F
4468		BERMONT RD/CR 74, 1100FT E OF SR 31	E	2000E	W	2100E	4100	R	9.5	53.5F	5.7F
4469		GULFSTREAM BLVD, E OF SUNNYBROOK BLVD, 150 FT E	E	2600E	W	2500E	5100	R	9.0	53.5F	5.7F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED
"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011
AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST; V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN
"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 01 CHARLOTTE

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1		DIRECTION 2		AADT TWO-WAY		"K" FCTR	"D" FCTR	"T" FCTR
4895		ROTONDA BLVD NORTH, N OF ROTONDA CIR	N	1200E	S	1200E	2400	E	9.0	53.5F	9.8F
4900		BOUNDARY BLVD, WEST OF SUNNYBROOK BLVD	E	750E	W	800E	1550	F	9.0	53.5F	9.8F
5001		SR 45/US 41 SOUTH OF MCKENZIE STREET (CH294	N	17500E	S	17500E	35000	S	9.0	52.9F	6.1P
5015		SR35/US17, S OF BERMONT RD [CH183]	E	15000	W	14500	29500	C	9.0	53.6F	21.1A
5018		SR45/US41 NW OF CR776/HARBORVIEW RD (CH 2	N	23000E	S	22500E	45500	F	9.0	52.9F	6.4P
5023		SR 45/US 41 SB/CROSS ST, SE OF CHARLOTTE AVE (CH	S	20000		0	20000	C	9.0	99.9W	5.2A
5024		SR 35/US 17 100' SOUTHWEST OF SR 93/I 75 CH1	E	10000	W	12500	22500	C	9.0	52.9F	7.9A
5025		SR 35/US 17 NB/OLYMPIA AV, NE OF DUPONT ST CH2	N	9800		0	9800	C	9.0	99.9W	5.5A
5027		SR45/US41 NB/TAMIAMI TR, NW OF OLYMPIA AVE (CH	N	19000		0	19000	C	9.0	99.9W	6.3A
5036		SR 35/US 17 NB/OLYMPIA AVE, NE OF COOPER ST CH30		0E		0E	13000	S	9.0	99.9W	5.7P
5037		SR 35/US 17 SB/MARION AV, NE OF COOPER ST CH302		0E		0E	14500	S	9.0	99.9W	6.1P
5038		SR35/US17 NB/OLYMPIA AV, NE OF SR45/US41 SB CH3	N	13500		0	13500	C	9.0	99.9W	3.3A
5039		SR35/US17 SB/MARION AV, NE OF SR45/US41 SB CH3	S	7100		0	7100	C	9.0	99.9W	5.2A
5042		SR45/US41, NW OF MIDWAY BLVD (CH 295)	N	31500E	S	29500E	61000	S	9.0	52.9F	3.2P
7001		SR93/I-75 NB,OFF-RAMP TO CR762/TUCKERS BLVD X1		0E		0E	2500	S	10.5	99.9W	16.1F
7002		SR93/I-75 SB,ON-RAMP FROM CR762/TUCKERS BLVD X1		0E		0E	2200	S	10.5	99.9W	16.1F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED
"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011
AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST; V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN
"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

COUNTY: 01 CHARLOTTE

SITE	SITE TYPE	DESCRIPTION		DIRECTION 1	DIRECTION 2	AADT TWO-WAY		"K" FCTR	"D" FCTR	"T" FCTR
7003		SR93/I-75 NB,ON-RAMP FROM CR762/TUCKERS BLVD	X1	0E	0E	5500	S	10.5	99.9W	16.7F
7004		SR93/I-75 SB,OFF-RAMP TO CR762/TUCKERS BLVD	X1	0E	0E	5600	S	10.5	99.9W	16.7F
7011		SR93/I-75 NB,OFF-RAMP TO CR768/N JONES LOOP	X1	0E	0E	4000	F	10.5	99.9W	16.1F
7012		SR93/I-75 SB,ON-RAMP FROM CR 768/N JONES LOOP	X1	0E	0E	4500	F	10.5	99.9W	16.1F
7013		SR93/I-75 NB,ON-RAMP FROM CR768/N JONES LOOP	X1	0E	0E	7800	F	9.0	99.9W	16.1F
7014		SR93/I-75 SB,OFF-RAMP TO CR768/N JONES LOOP	X1	0E	0E	8300	F	10.5	99.9W	16.1F
7021		SR93/I-75 NB,OFF-RAMP TO SR35/US17	X1	0E	0E	6000	S	9.0	99.9W	16.7F
7022		SR93/I-75 SB,ON-RAMP FROM SR35/US17	X1	0E	0E	5800	S	9.0	99.9W	16.7F
7023		SR93/I-75 NB,ON-RAMP FROM SR35/US17	X1	0E	0E	9900	S	9.0	99.9W	16.7F
7024		SR93/I-75 SB,OFF-RAMP TO SR35/US17	X1	0E	0E	12000	S	9.0	99.9W	16.7F
7031		SR93/I-75 NB,OFF-RAMP TO CR776/HARBOR VIEW	X1	0E	0E	5400	F	9.0	99.9W	10.2F
7032		SR93/I-75 SB,ON-RAMP FROM CR776/HARBOR VIEW	X1	0E	0E	6100	F	9.0	99.9W	10.2F
7033		SR93/I-75 NB,ON-RAMP FROM CR776/HARBOR VIEW	X1	0E	0E	2000	F	9.0	99.9W	10.2F
7034		SR93/I-75 SB,OFF-RAMP TO CR776/HARBOR VIEW	X1	0E	0E	1900	F	9.0	99.9W	10.2F
7041		SR93/I-75 NB,OFF-RAMP TO CR769/KINGS HWY	X1	0E	0E	11500	S	9.0	99.9W	10.2F
7042		SR93/I-75 SB,ON-RAMP FROM CR769/KINGS HWY	X1	0E	0E	12000	S	9.0	99.9W	10.2F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED
"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011
AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN
"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 01 CHARLOTTE

SITE	SITE TYPE	DESCRIPTION		DIRECTION 1	DIRECTION 2	AADT TWO-WAY		"K" FCTR	"D" FCTR	"T" FCTR
7043		SR93/I-75 NB,ON-RAMP FROM CR769/KINGS HWY	X1	0E	0E	7700	S	9.0	99.9W	10.2F
7044		SR93/I-75 SB,OFF-RAMP TO CR769/KINGS HWY	X1	0E	0E	7700	S	9.0	99.9W	10.2F
9233		SR-776, W OF BEACH RD		W 14000	E 14500	28500	C	9.0	53.0F	3.2A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED
"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011
AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST; V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN
"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF