

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0004		SR 590/DREW ST, WEST OF COACHMAN	E		E		25000 E	9.0	53.4F	18.5F
0006		SR 55/US 19, N OF SR 686/E BAY DR/R00SEVELT BLVD	N	49000	S	50000	99000 C	9.0	53.4F	5.3A
0007		SR 686/EAST BAY DR, EAST OF SR 55/US 19	E	20500	W	19000	39500 C	9.0	53.4F	10.5A
0008		SR 595/ALT US 19/SEMINOLE BLVD, S OF SR 688/ULME	E		E		36500 E	9.0	53.4F	8.5F
0009		SR 688/5TH AVE, E OF INDIAN ROCKS BRIDGE	E	9000	W	8500	17500 C	9.0	53.4F	18.5F
0010		SR 600/US 92/GANDY BLVD, E OF SR 687/4TH ST N	E	16500	W	17500	34000 C	9.0	53.4F	8.8A
0011		SR 686/R00SEVELT BLVD, S OF SR 93/I-275	N	18000	S	13000	31000 C	9.0	53.4F	6.2A
0013		SR 55/US 19, S OF SR 686/E BAY DR/R00SEVELT BLVD	E		E		103000 E	9.0	53.4F	5.6F
0014		SR 686/R00SEVELT BLVD, SOUTH OF MLK ST	E	9100	W	10000	19100 C	9.0	58.3F	18.5F
0015		SR 686/E BAY DR, W OF CR 501/ BELCHER RD	E		E		62500 E	9.0	53.4F	18.5F
0017		SR 699/GULF BLVD, JOHNS PASS BRIDGE	N	10500E	S	11500E	22000 S	9.0	53.4F	8.9F
0018		SR 580, W OF MCMULLEN BOOTH RD/CR 611	E	16000	W	16500	32500 C	9.0	53.4F	11.1A
0019		SR 590/10TH ST, E OF MC MULLEN-BOOTH RD/CR 611	E		E		6400 E	9.0	53.4F	18.5F
0023		SR 580/MAIN ST, W OF US 19/SR 55	0E		0E		51500 X	9.0	53.4F	3.9F
0026		SR 595/ALT US 19/TYRONE BLVD, W OF BOCA CIEGA BA	E	23000	W	22000	45000 C	9.0	53.4F	8.5A
0030		SR 693/ST PETE BEACH CSWY, S OF SHORE DR S	N	14500	S	14500	29000 C	9.0	53.4F	6.9A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -01-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0031		SR 666/TOM STUART CSWY, W OF STUART CSWY BRIDGE	N	15000	S	14500	29500 C	9.0	53.4F	18.5A
0033		SR 584/TAMPA RD, E OF SR586/CURLEW RD	E	27500	W	22000	49500 C	9.0	53.4F	8.5A
0034		SR 688/ULMERTON RD, E OF SR 686/ROOSEVELT BLVD (	E	40500	W	45500	86000 C	9.0	53.4F	7.7A
0035		SR 686/ROOSEVELT BLVD, N OF ULMERTON ROAD		0E		0E	38500 X	9.0	53.4F	7.3F
0036		SR 693/66TH ST N, N OF SR 688/ULMERTON RD	N	17000	S	18000	35000 C	9.0	53.4F	15.9A
0039		SR 694/GANDY BLVD, EAST OF US 19		E		E	69000 E	9.0	53.4F	6.4F
0040		SR 580/MAIN ST, E OF LAKE HAVEN RD		E		E	32500 E	9.0	53.4F	3.9F
0041		SR 55/US 19, S OF DREW ST/CR 528		E		E	131000 E	9.0	53.4F	5.3F
0042		SR 55/US 19, S OF SUNSET POINT ROAD		E		E	110000 E	9.0	53.4F	5.3F
0043		US 19/SR 55, N OF SUNSET PT RD	N	59000	S	57500	116500 C	9.0	53.4F	5.3F
0044		SR 55/US 19, N OF SR 580/MAIN ST		E		E	105000 E	9.0	53.4F	5.3F
0045		SR 55/US 19, N OF SR 586/CURLEW RD	N	40000E	S	38000E	78000 F	9.0	53.4F	3.6P
0046		SR 55/US 19, SOUTH OF 142ND AVE		E		E	91500 E	9.0	53.4F	5.6F
0047		SR 55/US 19, N OF 49TH ST N	N	39000	S	29500	68500 C	9.0	53.4F	7.9A
0048		SR 651/SR 595/ALT US 19/S MISSOURI AVE, S OF 4TH		E		E	32000 E	9.0	53.4F	4.0F
0053		SR 693/PASADENA AVE, S OF PARK ST S	N	16000	S	16500	32500 C	9.0	53.4F	3.6A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -02-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0057		SR 60/GULF-TO-BAY BL,W OF PINELLAS/HILLS LINE 30	E	33500E	W	31500E	65000 S	9.0	53.4F	6.5F
0058		SR 688/WALSINGHAM RD, E OF INDIAN ROCKS RD/CR 69	E	14000	W	14000	28000 C	9.0	53.4F	13.6A
0059		SR 687/4TH ST N, NORTH OF GANDY BLVD		0E		0E	28500 X	9.0	53.4F	6.4F
0061		SR 688/ULMERTON RD, E OF SR 686/R00SEVELT BLVD (	E	25000	W	22000	47000 C	9.0	53.4F	11.2A
0062		SR 93/I-275, W END OF HOWARD FRANKLAND BRIDGE 30	E	86500E	W	87500E	174000 S	9.0	58.3F	7.3F
0063		SR 580/TAMPA RD, W OF RACETRACK RD/COUNTY LINE		E		E	58000 E	9.0	53.4F	18.5F
0064		SR 590/NE COACHMAN RD, E OF US 19/SR 55		E		E	14500 E	9.0	53.4F	18.5F
0065		SR 693/66TH ST N, S OF 102ND AVE/CR 298	N	19000	S	19000	38000 C	9.0	53.4F	4.5A
0066	T	SR-699(GULF BLVD),110' N OF 183 AVE W,PINELLAS C	N	8629	S	8215	16844 C	9.0	52.2A	3.2A
0067		SR 688/ULMERTON RD, W OF SR 693/USA 19A/66TH ST	E	30000	W	29500	59500 C	9.0	53.4F	6.2A
0069		SR 688/ULMERTON RD, W OF USA 19/SR 595/SEMINOLE	E	22500	W	23500	46000 C	9.0	53.4F	4.5A
0074		SR 60/GULF TO BAY BLVD, E OF SR 55/US 19	E	28500	W	26500	55000 C	9.0	53.4F	6.7A
0075		SR 60/GULF TO BAY BL, W OF OLD COACHMAN RD/CR 53	E	29500	W	24000	53500 C	9.0	53.4F	6.3A
0077		SR 688/ULMERTON RD, E OF 49TH ST N/CR 611		E		E	61000 E	9.0	53.4F	3.6F
0078		SR 686/R00SEVELT BLVD, S OF SR 688/ULMERTON RD		E		E	40000 E	9.0	53.4F	18.5F
0079		SR 93/I-275, N OF SR 686/R00SEVELT BLVD		0E		0E	134000 X	8.0	58.3F	7.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -03-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0080		SR 682/PINELLAS BAYWAY S, E OF SR 679/SUN BLVD	E	14500	W	14000	28500 C	9.0	53.4F	5.3A
0081		SR 679/PINELLAS BAYWAY S, S OF SR 682/P B S	N	7200	S	7600	14800 C	9.0	53.4F	4.5F
0083		SR 93/I-275, S OF 22ND AVE N/CR 690		E		E	177000 E	8.0	58.3F	7.3F
0084		SR 93/I-275, S OF 36TH AVE N	N	82000E	S	82500E	164500 F	8.0	58.3F	9.0P
0085		SR 93/I-275, SOUTH OF 42ND AVE N		E		E	173000 E	8.0	58.3F	7.3F
0086	T	SR-600/US-92, 1 MI E OF SAN MARTIN BLVD, PINELLAS	E	22493	W	23012	45505 C	9.0	52.1A	7.0A
0087		SR 93/I-275, N OF SR 694/GANDY BLVD	N	71000E	S	69500E	140500 S	8.0	58.3F	7.3F
0089		SR 592/I-375, E OF 8TH ST N		0E		0E	14500 S	8.0	99.9W	4.0F
0091		SR 592/I-375, W OF 9TH ST N		E		E	24500 E	8.0	58.3F	4.0F
0092		SR 592/I-375, EAST OF SR 93/I-275		E		E	38500 E	8.0	58.3F	4.0F
0094		SR 594/I-175, E OF 6TH ST S		E		E	21500 E	8.0	58.3F	4.0F
0095		SR 594/I-175, E OF 9TH ST S		E		E	28500 E	8.0	58.3F	4.0F
0096		SR 594/I-175, EAST OF 16TH ST S	E	23500E	W	23500E	47000 S	8.0	58.3F	4.0F
0099		SR 93/I-275, N OF CENTRAL AVE/CR 654	N	73000E	S	71000E	144000 S	8.0	58.3F	7.3F
0100		SR 93/I-275, W OF 22ND ST S		E		E	124000 E	8.0	58.3F	7.3F
0102		SR 93/I-275, N OF 18TH AVE S		E		E	115000 E	8.0	58.3F	7.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -04-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0104		SR 93/I-275, N OF 38TH AVE S	E		E		104000 E	8.0	58.3F	7.3F
0105		SR 688/ULMERTON RD, E OF US 19/SR 55	E	27500	W	24000	51500 C	9.0	53.4F	9.6A
0106		SR 93/I-275, S OF SR 694/GANDY BLVD	E		E		162000 E	9.0	58.3F	7.3F
0183	T	SR-93/I-275,900' S OF SKYWAY TOLLB00TH,PINELLAS	N	34641	S	32972	67613 C	8.0	55.1P	7.5A
0295	T	SR-55/US-19,230' N OF 36TH AV,ST PETE,PINELLAS C	N	18545	S	18878	37423 C	9.0	51.4A	3.6A
0302	T	SR-686,200' W OF CR-595/AVALON AVE.,PINELLAS CO.	E	12879	W	14031	26910 C	9.0	57.8A	4.6X
0378	T	SR-580/MAIN ST, W OF US-19/SR-55	E	21848	W	22516	44364 C	9.0	56.6A	3.9A
0387	T	SR-55/US-19, SOUTH OF C-79/KLOSTERMAN RD	N	33666	S	34581	68247 C	9.0	63.0A	4.8A
0388		GANDY BLVD .24MI E. OF 4TH ST	31500E		25500E		57000 F	9.0	53.4F	9.3P
0460	T	SR-60	E	23023	W	21267	44290 C	9.0	56.3A	4.9A
1000		SR 595/ALT US 19/BAYSHORE BLVD, SOUTH OF SR 586	N	8400	S	11000	19400 C	9.0	53.4F	6.1A
1250		RAMP, ALT US 19/WESTBOUND BAY PINES TO ALT US 19	W	9300		0	9300 C	9.0	99.9W	7.3F
1251		SR 60/COURT ST, WEST OF MLK AVE	E	18500	W	13500	32000 C	9.0	53.4F	5.7A
1252		SR 60/COURT ST (WESTBOUND), WEST OF MYRTLE AVE	W	15500		0	15500 C	9.0	99.9W	7.3F
1253		SR 60/CHESNUT ST (EASTBOUND), WEST OF MYRTLE AVE	0E		0E		21500 E	9.0	99.9W	7.3F
1254		SR 595/ALT US 19/S MYRTLE AVE, SOUTH OF CLEVELAN	N	8200	S	7500	15700 C	9.0	53.4F	5.0P

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -05-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
1255		SR 595/ALT US 19/N MYRTLE AVE, SOUTH OF PALMETTO	N 7400E	S 5900E	13300 S	9.0	53.4F	7.3F
1256		RP, ROOSEVELT BLVD (SB) TO WB ULMERTON RD	W 900	0	900 C	9.0	99.9W	7.3F
1257		RP, ROOSEVELT BLVD (NB) TO EB ULMERTON	E 1800	0	1800 C	9.0	99.9W	7.3F
1258		RP, WB ULMERTON TO SB ROOSEVELT	S 1800	0	1800 C	9.0	99.9W	7.3F
1259		SR 687 TO SR 600 CONNECTOR	E 6200	W 100	6300 C	9.0	53.4F	7.3F
2700		RP, NB SR93/I-275 TO PINELLAS POINT DR	0E	0E	900 S	8.0	99.9W	7.5F
2701		RP, PINELLAS POINT DR TO SB SR93/I-275	0E	0E	900 S	8.0	99.9W	7.5F
2702		RP, PINELLAS POINT DR TO NB SR93/I-275	0E	0E	6000 S	8.0	99.9W	7.3F
2703		RP, SB SR93/I-275 TO PINELLAS POINT DR	0E	0E	5200 S	8.0	99.9W	7.5F
2706		RP, SB SR93/I-275 TO 34TH ST S & 54TH AVE S	0E	0E	8500 S	8.0	99.9W	7.3F
2707		RP, SB SR93/I-275 TO WB 54TH AVE S	0E	0E	8900 S	8.0	99.9W	7.3F
2708		RP, EB 54TH AVE S TO NB SR93/I-275	0E	0E	14000 S	8.0	99.9W	7.3F
2709		RP, 34TH ST S & 54TH AVE S TO NB SR93/I-275	0E	0E	11500 S	8.0	99.9W	7.3F
2710		RP, 26TH AVE S TO SB SR93/I-275	0E	0E	3800 S	8.0	99.9W	7.3F
2711		RP, NB SR93/I-275 TO 26TH AVE S	0E	0E	4200 S	8.0	99.9W	7.3F
2712		RP, SB SR93/I-275 TO CR138/22ND AVE S	0E	0E	12500 S	8.0	99.9W	7.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -06-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
2713		RP, EB CR138/22ND AVE S TO NB SR93/I-275	0E	0E	9000 S	8.0	99.9W	7.3F
2714		RP, WB CR138/22ND AVE S TO NB SR93/I-275	0E	0E	4000 S	8.0	99.9W	7.3F
2715		RP, 31ST ST S TO SB SR93/I-275	0E	0E	6700 S	8.0	99.9W	7.3F
2716		RP, NB SR93/I-275 TO 31ST ST S	0E	0E	7500 S	8.0	99.9W	7.3F
2717		RP, SB SR93/I-275 TO CR681/28TH ST S	0E	0E	7200 S	8.0	99.9W	7.3F
2718		RP, CR681/28TH ST S TO NB SR93/I-275	0E	0E	7400 S	8.0	99.9W	7.3F
2719		RAMP, SOUTHBOUND SR93/I-275 TO EASTBOUND SR 594/	0E	0E	13500 S	8.0	99.9W	7.3F
2720		RAMP, WESTBOUND SR 594/I-175 TO SOUTHBOUND SR 93	0E	0E	7300 S	8.0	99.9W	7.3F
2721		RAMP, NORTHBOUND SR 93/I-275 TO EASTBOUND SR 594	0E	0E	7200 S	8.0	99.9W	7.3F
2722		RAMP, WESTBOUND SR 594/I-175 TO NORTHBOUND SR 93	0E	0E	15000 F	9.0	99.9W	7.3F
2723		RP, 9TH ST S TO WB SR594/I-175	0E	0E	5200 F	8.0	99.9W	7.3F
2724		RP, EB SR594/I-175 TO 5TH AVE S & 10TH ST S	0E	0E	8800 F	8.0	99.9W	7.3F
2725		RP, 6TH ST S TO WB SR594/I-175	0E	0E	5400 F	8.0	99.9W	7.3F
2726		RP, EB SR594/I-175 TO 5TH AVE S & 6TH ST S	0E	0E	3500 F	8.0	99.9W	7.3F
2727		RAMP, NORTHBOUND SR 93/I-275 TO EASTBOUND SR 592	0E	0E	4800 S	8.0	99.9W	7.3F
2728		RAMP, SOUTHBOUND SR93/I-275 TO EASTBOUND SR592/I	0E	0E	17000 S	8.0	99.9W	18.5F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -07-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
2729		RP, WB SR592/I-375 TO SB SR93/I-275	0E	0E	5600 S	8.0	99.9W	4.6F
2730		RAMP, WESTBOUND SR 592/I-375 TO NORTHBOUND SR 93	0E	0E	11500 F	9.0	99.9W	7.3F
2731		RP, EB SR592/I-375 TO WB 4TH AVE N & 10TH ST N	0E	0E	7900 F	8.0	99.9W	7.3F
2732		RP, EB 5TH AVE N & 10TH ST N TO WB SR592/I-375	0E	0E	2900 F	8.0	99.9W	7.3F
2733		RP, NB 8TH ST N TO WB SR592/I-375	0E	0E	3200 F	8.0	99.9W	7.3F
2734		RP, SB SR93/I-275 TO EB SR595/5TH AVE N	0E	0E	14500 S	8.0	99.9W	7.3F
2735		RAMP, SR 595/5TH AVE N TO NORTHOUND SR 93/I-275	0E	0E	16500 S	8.0	99.9W	7.3F
2736		RP, SB SR93/I-275 TO 22ND AVE N	0E	0E	10500 S	8.0	99.9W	7.3F
2737		RP, 22ND AVE N TO SB SR93/I-275	0E	0E	11500 S	8.0	99.9W	7.3F
2738		RP, NB SR93/I-275 TO 22ND AVE N	0E	0E	11000 S	8.0	99.9W	7.3F
2739		RP, 22ND AVE N TO NB SR93/I-275	0E	0E	11500 S	8.0	99.9W	7.3F
2740		RP, SB SR93/I-275 TO CR184/38TH AVE N	0E	0E	9100 S	8.0	99.9W	7.3F
2741		RP, CR184/38TH AVE N TO SB SR93/I-275	0E	0E	10500 S	8.0	99.9W	7.3F
2742		RP, NB SR93/I-275 TO CR184/38TH AVE N	0E	0E	10000 S	8.0	99.9W	7.3F
2743		RP, CR184/38TH AVE N TO NB SR93/I-275	0E	0E	9300 S	8.0	99.9W	7.3F
2744		RP, SB SR93/I-275 TO 54TH AVE N	0E	0E	6700 S	8.0	99.9W	7.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -08-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
2745		RP, WB 54TH AVE N TO SB SR93/I-275	0E	0E	4800 S	8.0	99.9W	7.3F
2746		RP, EB 54TH AVE N TO SB SR93/I-275	0E	0E	8400 S	8.0	99.9W	7.3F
2747		RP, NB SR93/I-275 TO EB 54TH AVE N	0E	0E	5600 S	8.0	99.9W	7.3F
2748		RP, NB SR93/I-275 TO WB 54TH AVE N	0E	0E	9300 S	8.0	99.9W	7.3F
2749		RP, 54TH AVE N TO NB SR93/I-275	0E	0E	6200 S	8.0	99.9W	7.3F
2750		RP, SB SR93/I-275 TO SR694/GANDY BLVD	0E	0E	12500 S	8.0	99.9W	7.3F
2751		RP, WB SR694/GANDY BLVD TO SB SR93/I-275	0E	0E	13500 S	8.0	99.9W	7.3F
2752		RP, WB SR 694/GANDY BLVD TO SB SR 93/I-275	0E	0E	15000 S	8.0	99.9W	7.3F
2753		RP, NB SR93/I-275 TO SR694/GANDY BLVD	0E	0E	23500 S	8.0	99.9W	7.3F
2754		RP, EB SR694/GANDY BLVD TO NB SR93/I-275	0E	0E	11500 S	8.0	99.9W	7.3F
2755		RP, SB SR93/I-275 TO WB SR686/R00SEVELT BLVD	0E	0E	2500 S	8.0	99.9W	7.3F
2756		RP, EB SR686/R00SEVELT BLVD TO SB SR93/I-275	0E	0E	10000 S	8.0	99.9W	7.3F
2757		RP, NB SR93/I-275 TO WB SR686/R00SEVELT BLVD	0E	0E	21500 S	8.0	99.9W	7.3F
2758		RP, NB SR93/I-275 TO EB SR686/R00SEVELT BLVD	0E	0E	3100 E	8.0	99.9W	7.3F
2759		RP, SR686/R00SEVELT BLVD TO NB SR93/I-275	0E	0E	2100 E	8.0	99.9W	7.3F
2760		RP, SB SR93/I-275 TO 9TH ST N/MLK ST	0E	0E	8100 S	9.0	99.9W	4.0F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -09-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
2761		RP, NB 9TH ST N/MLK ST TO NB SR93/I-275	0E	0E	4400 E	9.0	99.9W	4.0F
2762		RAMP, EASTBOUND SR 688/ULMERTON RD TO NORTHBOUND	0E	0E	21500 S	8.0	99.9W	7.3F
2763		RAMP, SOUTHBOUND SR 93/I-275 TO WESTBOUND SR 688	0E	0E	21000 S	8.0	99.9W	4.0F
2764		RAMP, NORTHBOUND SR 687/US 92/4TH ST N TO NOUTH	N 4600	0	4600 C	9.0	99.9W	4.0F
2765		RP, SB SR93/I-275 TO SB SR687/US92/4TH ST N	0E	0E	9900 V	8.0	99.9W	4.0F
2766		RP, WB 5TH ST N TO WB I-375	0E	0E	11000 F	9.0	99.9W	4.0F
2767		RP, SB 4TH ST S. TO WB I-75	0E	0E	4900 F	9.0	99.9W	4.0F
2768		RP, EB I-175 TO 5TH AVE S	0E	0E	9000 S	9.0	99.9W	4.0F
2769		RAMP, EB ULMERTON RD TO SB I-275	0E	0E	2500 S	8.0	99.9W	4.0F
2770		SLIP RAMP, EB ULMERTON RD TO 9TH ST N	0E	0E	3400 E	8.0	99.9W	4.0F
2771		RP, SB I-275 TO WB TO WB ROOSEVELT BYPASS	0E	0E	7500 F	8.0	99.9W	4.0F
2772		RAMP, EB ROOSEVELT BYPASS TO NB I-275	0E	0E	7900 F	8.0	99.9W	4.0F
2773		RAMP, EB ROOSEVELT BYPASS TO SB I-275	0E	0E	5700 F	8.0	99.9W	4.0F
2774		RP, NB I-275 TO 54TH AVE S	0E	0E	3900 S	8.0	99.9W	7.3F
2775		RP US 19 TO GANDY BLVD EB	0E	0E	14000 E	9.0	99.9W	7.3F
2776		RP GANDY BLVD WB TO US 19 NB	0E	0E	13000 E	9.0	99.9W	7.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -10-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
2777		RP US 19 TO PARK BLVD WB		0E		0E	5500 E	9.0	99.9W	7.3F
2778		RP PARK BLVD EB TO US 19 SB		0E		0E	6600 E	9.0	99.9W	7.3F
3002		SR 595/ALT US 19/S PINELLAS AVE, SOUTH OF PASCO	N	9000	S	9200	18200 C	9.0	53.4F	10.0F
3003		SR 55/US 19, S OF THE PINELLAS/PASCO COUNTY LINE	N	32000	S	31000	63000 C	9.0	53.4F	5.3F
3005		SR 595/ALT US 19/PALM HARBOR BLVD, S OF CR 752/T	N	8500	S	8600	17100 C	9.0	53.4F	10.0F
3032		SR 688/ULMERTON RD, W OF STARKEY RD/CR 1		E		E	69500 E	9.0	53.4F	3.6F
3038		SR 595/ALT US 19/SEMINOLE BLVD, N OF 102ND AVE	N	16000	S	16500	32500 C	9.0	53.4F	3.5A
3043		SR 686/ROOSEVELT BLVD, S OF 28TH STREET N		E		E	51500 E	9.0	53.4F	18.5F
3075		SR 682/PINELLAS BAYWAY S, E OF GRANADA	E	9800	W	10000	19800 C	9.0	53.4F	4.2A
5004		SR 584/HILLSBOROUGH AVE, W OF ST PETE DR	E	29000E	W	26500E	55500 F	9.0	53.4F	4.5P
5010		SR 687/US 92/4TH ST N, NORTH OF I-375	N	12500E	S	16500E	29000 S	9.0	53.4F	1.9P
5011		SR 687/US 92/4TH ST N, N OF 22ND AVE N/CR 690	N	16500	S	17000	33500 C	9.0	53.4F	7.0A
5019		SR 595/ALT US 19/5TH AVE N, W OF 58TH ST N	E	19000E	W	16000E	35000 F	9.0	53.4F	2.5P
5020		SR 595/ALT US 19/59TH ST, N OF 5TH AVE N	N	14000	S	13000	27000 C	9.0	53.4F	4.9A
5028		SR 55/US 19/34TH ST N, S OF SR694/GANDY & PARK B		E		E	67000 E	9.0	53.4F	5.6F
5029		SR 55/US 19, N OF SR 694/GANDY & PARK BLVDS		E		E	79000 E	9.0	53.4F	5.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -11-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5031		SR 694/PARK BLVD, W OF US 19/SR 55	E	28500	W	31000	59500 C	9.0	53.4F	4.8A
5033		SR 694/PARK BLVD, W OF 49TH ST N/CR 611	E	25000	W	26000	51000 C	9.0	53.4F	5.2A
5034		SR 694/PARK BLVD, E OF 66TH ST/SR 693	E	25500	W	22000	47500 C	9.0	53.4F	4.8A
5039		SR 686/E BAY DR, E OF SR 595/SR 651/US ALT 19/SE	E	21000	W	24500	45500 C	9.0	53.4F	18.5F
5040		SR 595/ALT US 19/SEMINOLE BLVD, N OF 5TH AVE SW		E		E	33000 E	9.0	53.4F	8.5F
5048		SR 595/ALT US 19/N FT HARRISON AVE, N OF CEDAR S	N	3900	S	5500	9400 C	9.0	53.4F	10.0F
5051		SR 590/DREW ST, E OF N MYRTLE ST/CR 595B		E		E	14000 E	9.0	53.4F	18.5F
5052		SR 590/DREW ST, E OF MISSOURI AVE		E		E	20000 E	9.0	53.4F	18.5F
5054		SR 590/DREW ST, W OF SATURN AVE/CR 548		E		E	27000 E	9.0	53.4F	18.5F
5060		SR 60/GULF TO BAY BLVD, E OF HIGHLAND AVE 3021		0E		0E	56500 X	9.0	53.4F	4.9F
5062		SR 595/ALT US 19/EDGEWATER DR, S OF BELTREES ST	N	6700	S	7000	13700 C	9.0	53.4F	10.0F
5064		SR 595/ALT US 19/EDGEWATER DR, S OF SR 580/MAIN	N	6100	S	6700	12800 C	9.0	53.4F	10.0F
5066		SR 595/ALT US 19/BAYSHORE BLVD, N OF SAN JOSE DR	N	8300	S	8800	17100 C	9.0	53.4F	10.0F
5068		SR 595/ALT US 19/BAYSHORE BLVD, N OF PALM BLVD	N	9400	S	8900	18300 C	9.0	53.4F	9.8A
5070		SR 580/MAIN ST, E OF SKINNER	E	8800	W	8300	17100 C	9.0	53.4F	4.9A
5078		SR 55/US 19/34TH ST S, S OF 22ND AVE S/CR138		E		E	28500 E	9.0	53.4F	4.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -12-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5082		SR 55/US 19/34TH ST N, SOUTH OF 5TH AVE N	E		E		44500 E	9.0	53.4F	4.6F
5084		SR 55/US 19/34TH ST N, S OF 38TH AVE N/CR 184	E		E		46000 E	9.0	53.4F	5.6F
5085		SR 55/US 19/34TH ST N, S OF 22ND AVE N/CR 690	N	18500	S	19500	38000 C	9.0	53.4F	4.1A
5087		SR 694/GANDY BLVD, EAST OF 9TH STREET	E	16000	W	16000	32000 C	9.0	53.4F	6.4A
5088		SR 699/GULF BLVD, S OF 100TH AVE	N	7100	S	7600	14700 C	9.0	53.4F	8.9F
5089		SR 699/GULF BLVD, S OF SR 666/150TH AVE/TOM STUA	N	9800	S	12500	22300 C	9.0	53.4F	13.1A
5091		SR 699/GULF BLVD, S OF SR 688/5TH AVE	N	6200	S	7100	13300 C	9.0	53.4F	3.2F
5095		SR 699/GULF BLVD, N OF SR 666/150TH AVE/T STUART	N	8800	S	6100	14900 C	9.0	53.4F	3.2F
5097		SR 60/MEMORIAL CSWY, W OF MEMORIAL CSWY BRIDGE 30	E	18500E	W	18000E	36500 F	9.0	53.4F	4.9F
5106		SR 595/ALT US 19/5TH AV N, E OF US 19/SR 55/34TH	E		E		24500 E	9.0	53.4F	5.3F
5107		SR 595/ALT US 19/5TH AV N, W OF US 19/SR 55/34TH	E	12500	W	11500	24000 C	9.0	53.4F	3.6A
5111		SR 595/ALT US 19/TYRONE BLVD, SOUTH OF 22ND AVE	E		E		37500 E	9.0	53.4F	8.5F
5112		SR 595/ALT US 19/TYRONE BLVD, SOUTH OF 22ND AVE	E	17500	W	16500	34000 C	9.0	53.4F	8.4A
5114		SR 693/66TH ST N, N OF 9TH AVE	N	20000E	S	19000E	39000 F	9.0	53.4F	2.8P
5116		SR 682/54TH AVE S, W OF US 19/SR 55/34TH ST S	E	20000	W	19500	39500 C	9.0	53.4F	9.0A
5117		SR 55/US 19, N OF SR 682/54TH AVE S	E		E		28000 E	9.0	53.4F	4.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -13-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5118		SR 693/66TH ST N, N OF SR595/ALT US 19/TYRONE BL		E		E	43500 E	9.0	53.4F	9.4F
5120		SR 595/ALT US 19/PALM HARBOR BLVD, NORTH OF NEBR	N	9900E	S	10000E	19900 S	9.0	53.4F	8.6P
5127		SR 686/E BAY DR, W OF CR 1/KEENE, STARKEY RDS 30		E		E	56500 E	9.0	53.4F	18.5F
5129		SR 595/ALT US 19/SEMINOLE BLVD, N OF SR 688/ULME		E		E	38000 E	9.0	53.4F	4.0F
5131		SR 595/ALT US 19/SEMINOLE BLVD, S OF 94TH AVE	N	16500	S	16500	33000 C	9.0	53.4F	4.4A
5132		SR 595/ALT US 19/SEMINOLE BLVD, N OF CR 694/PARK		E		E	41500 E	9.0	53.4F	8.5F
5134		SR 595/ALT US 19/SEMINOLE BLVD, N OF 50TH AVE		E		E	38500 E	9.0	53.4F	8.5F
5135		SR 595/ALT US 19/BAY PINES BLVD, W OF 100TH WAY		E		E	44000 E	9.0	53.4F	8.5F
5140		SR 693/66TH ST N, S OF SR 694/CR 694/PARK BLVD		E		E	45500 E	9.0	53.4F	9.4F
5141		SR 687/US 92/4TH ST N, SOUTH OF GANDY BLVD		E		E	32500 E	9.0	53.4F	5.3F
5144		SR 55/US 19/34TH ST N, S OF 64TH AVE N/CR216	N	25000	S	28500	53500 C	9.0	53.4F	5.1A
5147		SR 699/GULF BLVD, N OF SR 682/PINELLAS BAYWAY S	N	11000	S	11500	22500 C	9.0	53.4F	3.9A
5149		SR 699/GULF BLVD, S OF BLIND PASS RD & 68TH AVE	N	12000	S	12000	24000 C	9.0	53.4F	11.0A
5154		SR 699/BLIND PASS RD, N OF 87TH AVE	N	6600	S	6900	13500 C	9.0	53.4F	8.9F
5157		SR 693/75TH AV/ST PETE BCH CSWY, NE OF SR 699	E	14000	W	13000	27000 C	9.0	53.4F	14.4A
5159		SR 595/ALT US 19/S PINELLAS AVE, S OF SR 582/TAR	N	5900	S	7400	13300 C	9.0	53.4F	10.2A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5160		SR 595/ALT US 19/N PINELLAS AVE, N OF SR 582/TAR	N 8100	S 8700	16800 C	9.0	53.4F	10.0F
5164		SR 582/TARPON AVE, WEST OF US 19	E	E	15000 E	9.0	53.4F	18.7F
5165		SR 55/US 19, SOUTH OF TARPON AVE	N 39500E	S 39000E	78500 F	9.0	53.4F	5.2P
5175		SR 60/SR 651/COURT ST, W OF HIGHLAND AVE	E 22000	W 20500	42500 C	9.0	53.4F	4.0F
5179		SR 651/SR 595/ALT US 19/S MISSOURI AVE, S OF SR	E	E	27000 E	9.0	53.4F	4.0F
5180		SR 586/CURLEW RD, W OF SR 584/TAMPA RD/CR 752	E 9400	W 10500	19900 C	9.0	53.4F	8.1F
5181		SR 586/CURLEW RD, E OF SR 595/ALT US 19	E 6700	W 7900	14600 C	9.0	53.4F	8.1F
5182		SR 586/CURLEW RD, W OF SR 55/US 19	E 17000	W 14000	31000 C	9.0	53.4F	5.1A
5183		SR 586/CURLEW RD, E OF SR 55/US 19	E 16000E	W 17500E	33500 F	9.0	53.4F	8.1F
5185		SR 590/NE COACHMAN RD, E OF BELCHER RD	E	E	11000 E	9.0	53.4F	18.5F
5187		SR 688/ULMERTON RD, W OF 113TH ST/RIDGE RD/CR 32	E 19500	W 19500	39000 C	9.0	53.4F	5.2A
5188		SR 595/ALT US 19/5TH AVE N, W OF 19TH ST N	E 11500	W 12500	24000 C	9.0	53.4F	3.8A
5189		SR 687/US 92/3RD ST N (NORTHBOUND), N OF CENTRAL	0E	0E	12000 F	9.0	99.9W	5.3F
5190		SR 687/US92/4TH ST N (SOUTHBOUND), NORTH OF CENT	S 9600	0	9600 C	9.0	99.9W	3.6F
5192		SR 687/US92/4TH ST N (SOUTHBOUND), SOUTH OF SR 5	S 12000	0	12000 C	9.0	99.9W	3.6F
5193		SR 595/ALT US 19/4TH AVE N (EASTBOUND), W OF SR	E 13000	0	13000 C	9.0	99.9W	4.4A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5194		SR 595/ALT US 19/5TH AV N (WESTBOUND), W OF US 9	0E		0E		14000 E	9.0	99.9W	5.3F
5196		SR 595/ALT US 19/5TH AV N (WESTBOUND), E OF MLK	W	5600		0	5600 C	9.0	99.9W	5.3F
5197		SR 595/ALT US 19/4TH AVE N (EASTBOUND), W OF 9TH	0E		0E		9900 E	9.0	99.9W	5.4F
5198		SR 595/ALT US 19/5TH AV N, W OF MLK ST/9TH ST	W	8100	E	2700	10800 C	9.0	53.4F	5.3F
5300		SR 651/SR 595/ALT US 19/S MISSOURI AVE, SOUTH OF	E		E		27500 E	9.0	53.4F	4.0F
5301		SR 586/CURLEW RD, WEST OF MCMULLEN BOOTH RD	E	16500	W	15500	32000 C	9.0	53.4F	11.2A
5302		SR 595/ALT US 19/TYRONE BLVD, EAST OF PARK ST	E		E		41500 E	9.0	53.4F	8.5F
5304		SR 686/E BAY DR, W OF US 19/SR 55	E	31000	W	31000	62000 C	9.0	53.4F	4.6A
5307		SR 60/GULF TO BAY BLVD, EAST OF DUNCAN AVE	E	25000	W	24500	49500 C	9.0	53.4F	4.9F
5309		SR 693/66TH ST N, NORTH OF BRIAN DAIRY RD	N	18000	S	21000	39000 C	9.0	53.4F	6.5A
5310		SR 580/MAIN ST, W OF BELCHER RD/CR 501	E		E		47000 E	9.0	53.4F	3.9F
5311		SR 580, EAST OF US 19	E		E		38000 E	9.0	53.4F	3.9F
5312		SR 580, WEST OF SR 590	E	15000	W	16500	31500 C	9.0	53.4F	15.8A
5313		SR 584/TAMPA RD, W OF ST CLAIRE AVE.	E		E		44000 E	9.0	53.4F	18.5F
5314		SR 687/US 92/4TH ST, NORTH OF 38TH AVE	N	17000E	S	19500E	36500 F	9.0	53.4F	5.3F
5316		SR 688/ULMERTON RD, WEST OF SR 55/US 19	E	26500E	W	26000E	52500 F	9.0	53.4F	6.2P

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -16-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5318		SR 55/US 19, SOUTH OF 62ND ST N	N	44500E	S	41000E	85500 F	9.0	53.4F	3.1P
5320		SR-55/US-19, SOUTH OF C-79/KLOSTERMAN RD		E		E	85000 E	9.0	53.4F	7.3F
5322		SR 55/US 19/34TH ST, S OF SR 682/54TH AVE S	N	4300	S	4500	8800 C	8.0	53.4F	5.4A
5324		SR 679/PINELLAS BAYWAY, S OF SANDS POINT DR	N	2800	S	2800	5600 C	9.0	53.4F	4.5F
5325		SR 693/PASADENA AVE, SOUTH OF 1ST AVE.	N	14000	S	14500	28500 C	9.0	53.4F	9.4A
5335		SR 580, NEW ALIGNMENT, BWTN OAKWOOD AND BAYVIEW	E	11000	W	8900	19900 C	9.0	53.4F	7.2A
5400		SR 595/ALT US 19/PALM HARBOR BLVD, SOUTH OF KLOS	N	9800	S	9600	19400 C	9.0	53.4F	10.0F
5401		SR 590, N OF CR 638/ENTERPRISE RD		E		E	10000 E	9.0	53.4F	18.5F
5402		SR 580, AT SAFETY HARBOR BRIDGE		E		E	35500 E	9.0	53.4F	3.9F
5403		SR 580/SKINNER BLVD, E OF SR 595/ALT US 19		E		E	11500 E	9.0	53.4F	4.9F
5404		SR 688/ULMERTON RD., E/ OF BELCHER RD		E		E	66000 E	9.0	53.4F	3.6F
5405		SR 93/I-275, NORTH OF SR 688/ULMERTON RD		0E		0E	165000 X	8.0	58.3F	7.3F
5500		SR 586/CURLEW RD, W OF BELCHER RD		E		E	26500 E	9.0	53.4F	8.1F
5501		SR 595/ALT US 19/5TH AV N, W OF 11TH ST N	E	2600	W	8600	11200 C	9.0	53.4F	5.3F
5502		SR 580/MAIN ST, W OF PINEHURST		E		E	27000 E	9.0	53.4F	3.9F
5503		SR 55/US 19, N OF NEBRASKA AVE		E		E	93000 E	9.0	53.4F	5.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -17-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5504		SR 693/PASADENA AV, N OF 1ST AV N	N 13500	S 13500	27000 C	9.0	53.4F	9.2A
5505		SR 694/GANDY BLVD, W OF I-275	E 40000E	W 38500E	78500 F	9.0	53.4F	7.1P
5506		SR 694/GANDY BLVD, E OF I-275	E	E	60000 E	9.0	53.4F	6.4F
5600		RAMP, NORTHBOUND ALT US 19/SEMINOLE RD TO ALT US	S 11500	0	11500 C	9.0	99.9W	8.5F
5601		RAMP, WESTBOUND ULMERTON BLVD TO NORTHBOUND SR 6	0E	0E	23000 X	9.0	99.9W	7.3F
5602		RAMP, NORTHBOUND SR 686/ROOSEVELT BLVD TO WESTBOU	N 16500	0	16500 C	9.0	99.9W	22.7A
5608		RAMP, SOUTHBOUND ROOSEVELT BLVD TO EASTBOUND ULM	E 11500	0	11500 C	9.0	99.9W	7.3F
5609		RAMP, EB ULMERTON TO SB ROOSEVELT	S 17000	0	17000 C	9.0	99.9W	7.3F
5700		RIVERSIDE DRIVE, WEST OF TARPON AVE (HPMS)	0E	0E	3500 X	9.0	53.4F	4.6F
5701		FLORIDA AVE/ CURLEW PLACE, SOUTH OF GULF ROAD/ P	0E	0E	4800 X	9.0	53.4F	4.6F
5702		PALM BLVD, EAST OF BAYSHORE BLVD (HPMS)	0E	0E	2000 X	9.0	53.4F	4.6F
5703		PINEHURST RD, SOUTH OF MICHIGAN BLVD (HPMS)	0E	0E	4600 X	9.0	53.4F	4.6F
5704		PALOMA LANE, NORTH OF SAN CHRISTOPHER DR (HPMS)	0E	0E	800 X	9.0	53.4F	4.6F
5705		HIGHLAND AVE, SOUTH OF SUNSET POINT RD (HPMS)	0E	0E	14500 X	9.0	53.4F	4.6F
5706		DRUID RD, HERCULES AVE TO BELCHER RD	E 4000E	W 4200E	8200 R	9.0	53.4F	4.6F
5707		BRYAN DAIRY ROAD, WEST OF STARKEY RD (HPMS)	0E	0E	32000 X	9.0	53.4F	4.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -18-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5708		HAMLIN BLVD, SOUTH OF WALSINGHAM RD (HPMS)	0E	0E	6700 X	9.0	53.4F	4.6F
5709		102ND AVE, WEST OF OAKHURST RD (HPMS)	0E	0E	5100 X	9.0	53.4F	4.6F
5710		54TH AVE, EAST OF 58TH ST (HPMS)	0E	0E	18500 X	9.0	53.4F	4.6F
5711		GULFWINDS DR, N OF GULF BLVD (HPMS)	0E	0E	3500 X	9.0	53.4F	4.6F
5712		9TH ST N, SOUTH OF GANDY (HPMS)	0E	0E	27500 X	9.0	53.4F	4.6F
5713		SAN MARTIN BLVD NE, SOUTH OF GANDY (HPMS)	0E	0E	3800 X	9.0	53.4F	4.6F
5714		KEENE ROAD, SOUTH OF UNION STREET (HPMS)	0E	0E	28000 X	9.0	53.4F	4.6F
5715		1ST AVE N (WESTBOUND), EAST OF 49TH ST N (HPMS)	0E	0E	17500 X	9.0	99.9W	4.6F
5716		78TH AVE, WEST OF OAKHURST RD (HPMS)	0E	0E	18000 X	9.0	53.4F	4.6F
5717		LIVE OAK ST, WEST OF US 19 (HPMS)	0E	0E	1200 X	9.0	53.4F	4.6F
5718		STARKEY ROAD, NORTH OF ULMERTON RD (HPMS)	0E	0E	32000 X	9.0	53.4F	4.6F
5719		PARK ST N, SOUTH OF TYRONE BLVD (HPMS)	0E	0E	43500 X	9.0	53.4F	4.6F
5720		CLEVELAND STREET, EAST OF MYRTLE AVE (HPMS)	0E	0E	4900 X	9.0	53.4F	4.6F
5721		ST PETERSBURG DR, WEST OF TAMPA ROAD (HPMS)	E	E	2200 E	9.0	53.4F	4.6F
5722		HAINES ROAD, SOUTH OF 38TH AVE N (HPMS)	0E	0E	2800 X	9.0	53.4F	4.6F
5723		CR 752/TAMPA ROAD, WEST OF BELCHER ROAD (HPMS)	0E	0E	19500 X	9.0	53.4F	4.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -19-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5724		15TH AVE SOUTH, EAST OF GULFPORT BLVD (HPMS)		0E		0E	2100 X	9.0	53.4F	4.6F
5725		22ND AVENUE SOUTH, WEST OF 4TH STREET SOUTH (HPM		0E		0E	8600 X	9.0	53.4F	4.6F
5726		GULF BLVD, NORTH OF BELLEAIR CAUSEWAY (HPMS)		0E		0E	16500 X	9.0	53.4F	4.6F
5727		ANDERSON BLVD WEST OF PINELLAS BAYWAY SOUTH (HPM	E	1700	W	1700	3400 C	9.0	53.4F	4.6F
5728		PINELLAS BAYWAY S, NORTH OF ANDERSON ROAD (HPMS)	N	1200	S	1200	2400 C	9.0	53.4F	4.6F
5729		ANDERSON BLVD, EAST OF PINELLAS BAYWAY SOUTH (HP		0E		0E	800 X	9.0	53.4F	4.6F
5730		SUNSET POINT ROAD, WEST OF US 19 (HPMS)		0E		0E	28000 X	9.0	53.4F	4.6F
5731		PARK BLVD, EAST OF SEMINOLE BLVD (HPMS)		0E		0E	53000 X	9.0	53.4F	4.6F
5732		MCMULLEN BOOTH ROAD, NORTH OF SUNSET POINT ROAD		0E		0E	65500 X	9.0	53.4F	4.6F
5733		NEBRASKA AVE, WEST OF US 19 (HPMS)		0E		0E	18500 X	9.0	53.4F	4.6F
5734		KEYSTONE RD, WEST OF EAST LAKE ROAD (HPMS)	E	14500	W	13500	28000 C	9.0	53.4F	4.6F
5735		22ND AVE N, EAST OF 34TH ST N (HPMS)		0E		0E	37000 X	9.0	53.4F	4.6F
5739		SR 595/ALT US 19/N MYRTLE AVE, NORTH OF PALMETTO	N	6500	S	5000	11500 C	9.0	53.4F	3.9P
5740		US 19 NORTH OF BELLAIRE RD (CR 464) (HPMS)	N	70500E	S	56500E	127000 S	9.0	53.4F	5.9P
8002		BELCHER RD SOUTH OF SUNSET POINT @ RAILROAD TRAC	N	13500	S	10500	24000 C	9.0	53.4F	7.3F
8600		ELEVATED CONNECTION B/W 118TH AVE N AND I-275/RO	E	14500E	W	17000E	31500 S	8.0	58.3F	4.0F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
8601		US 19 FRONTAGE RD SB BW/ DREW ST AND GULF TO BAY	S 9600	0	9600 C	9.0	99.9W	5.3F
8602		US 19 FRONTAGE RD NB B/W DREW ST AND SR 60/GULF	0E	0E	15000 E	9.0	99.9W	5.3F
8603		US 19 FRONTAGE RD NB B/W ENTERPRISE RD AND SUNSE	N 8500	0	8500 C	9.0	99.9W	5.3F
8604		US 19 FRONTAGE RD NB B/W HAINES BAYSHORE RD AND	0E	0E	6600 E	9.0	99.9W	5.6F
8605		US 19 FRONTAGE RD NB B/W 142ND AVE N AND ULMERTO	N 12500	0	12500 C	9.0	99.9W	5.6F
8607		US 19 FRONTAGE RD SB B/W HAINES BAYSHORE RD AND	0E	0E	8000 E	9.0	99.9W	5.6F
8610		US 19 FRONTAGE RD NB B/W SR 580 AND HAMMOCK PINE	0E	0E	18500 E	9.0	99.9W	5.3F
8611		US 19 FRONTAGE RD SB B/W ENTERPRISE RD AND SUNSE	0E	0E	6800 E	9.0	99.9W	5.3F
8613		SR 590 B/W BELCHER RD AND US 19	E 6600	W 6600	13200 C	9.0	53.4F	5.9F
8614		SR 590, BETWEEN 'US 19' AND 'MCMULLEN BOOTH RD'	E 6200	W 6800	13000 C	9.0	53.4F	5.9F
9001		ANCLOTE BLVD, EAST OF SEMINOLE ST	E	E	2500 E	9.0	53.4F	5.9F
9002		RIVERSIDE DR, N OF GULF RD	E	E	6500 E	9.0	53.4F	5.9F
9003		GULF RD, EAST OF N FLORIDA AVE	E 2000E	W 2000E	4000 V	9.0	53.4F	5.9F
9004		KLOSTERMAN ROAD, W OF ALT US 19	E 5800E	W 5500E	11300 V	9.0	53.4F	5.9F
9005		ALDERMAN ROAD, W OF BELCHER RD	E 7900E	W 7900E	15800 V	9.0	53.4F	5.9F
9006		CRYSTAL BEACH AVE, W OF PALM HARBOR BLVD/ALT US	E 1800E	W 2000E	3800 V	9.0	53.4F	5.9F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
9007		ALDERMAN RD, E OF US 19	E	6100E	W	6100E	12200 V	9.0	53.4F	5.9F
9008		ORANGE STREET, S OF PENNSYLVANIA AVE	S	650E	N	700E	1350 V	9.0	53.4F	5.9F
9009		TAMPA ROAD, EAST OF ORANGE STREET	E	1600E	W	1700E	3300 V	9.0	53.4F	5.9F
9010		MICHIGAN BLVD, EAST OF ALT US 19/BAYSHORE BLVD	E	1900E	W	1900E	3800 V	9.0	53.4F	5.9F
9011		MLK JR AVE, NORTH OF JACKSON ST	N	1200E	S	1300E	2500 V	9.0	53.4F	5.9F
9012		SAN CHRISTOPHER, EAST OF ALT US 19/BAYSHORE	E	1000E	W	950E	1950 V	9.0	53.4F	5.9F
9013		CR 611/MCMULLEN BOOTH RD, N OF SR 580/MAIN ST (H		0E		0E	61500 X	9.0	53.4F	7.3F
9014		NEW YORK AVE, NORTH OF BELTREES ST	N	300E	S	300E	600 V	9.0	53.4F	5.9F
9015		DOUGLAS AVE, NORTH OF SUNSET POINT RD	N	2300E	S	2100E	4400 V	9.0	53.4F	5.9F
9016		7TH STREET, NORTH OF PINELLAS POINT DRIVE S	N	100E	S	100E	200 V	9.0	53.4F	5.9F
9017		N HIGHLAND AVENUE, NORTH OF SUNSET POINT	N	4900E	S	5200E	10100 V	9.0	53.4F	5.9F
9018		N BETTY LANE, NORTH OF SUNSET POINT ROAD	N	1600	S	1700	3300 C	9.0	53.4F	5.9F
9019		BROADWAY, NORTH OF UNION ST	N	200E	S	200E	400 V	9.0	53.4F	5.9F
9020		VIRGINIA ST, WEST OF NEY YORK AVE	E	2800E	W	2800E	5600 V	9.0	53.4F	5.9F
9021		LYNDHURST ST, EAST OF ALT US 19/EDGEWATER DR		0E		0E	1100 E	9.0	53.4F	5.9F
9022		LYNDHURST ST, EAST OF NEW YORK AVE	E	300	W	350	650 C	9.0	53.4F	5.9F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -22-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
9023		BELTREES ST, EAST OF ALT US 19/EDGEWATER DR	E	550E	W	550E	1100 V	9.0	53.4F	5.9F
9024		UNION ST, EAST OF ALT US 19/EDGEWATER DR	E	800E	W	850E	1650 V	9.0	53.4F	5.9F
9025		HERCULES AVE, N OF UNION ST	N	4800E	S	4500E	9300 V	9.0	53.4F	5.9F
9026		MONTCLAIR ROAD, EAST OF N KEENE ROAD	E	450E	W	450E	900 V	9.0	53.4F	5.9F
9027		OLD COACHMAN ROAD, NORTH OF GULF TO BAY BLVD	N	4300E	S	5200E	9500 V	9.0	53.4F	5.9F
9028		N BETTY LANE RD, NORTH OF DREW ST	N	3500E	S	3600E	7100 V	9.0	53.4F	5.9F
9029		M L KING JR AVE, N OF PALMETTO ST	N	1800E	S	1800E	3600 V	9.0	53.4F	5.9F
9030		M L KING JR AVE, N OF WYATT	N	1200E	S	1300E	2500 V	9.0	53.4F	5.9F
9031		PALMETTO ST, E OF ALT US 19/N MYRTLE AVE	E	1200E	W	1200E	2400 V	9.0	53.4F	5.9F
9032		PALMETTO STREET, W OF N BETTY LN	E	2100E	W	2100E	4200 V	9.0	53.4F	5.9F
9033		PALMETTO ST, BTWN N SATURN AVE AND KEENE RD	E	2000E	W	1900E	3900 V	9.0	53.4F	5.9F
9034		CLEVELAND ST, EAST OF GULF TO BAY BLVD	E	2300E	W	2600E	4900 V	9.0	53.4F	5.9F
9035		MISSOURI AVE, NORTH OF COURT ST	N	6100E	S	6000E	12100 V	9.0	53.4F	5.9F
9036		LAKEVIEW RD, EAST OF S MYRTLE AVE	E	2900E	W	2700E	5600 V	9.0	53.4F	5.9F
9037		HARN BLVD, EAST OF S BELCHER RD	E	1700E	W	1800E	3500 V	9.0	53.4F	5.9F
9038		NURSERY ROAD, W OF HIGHLAND AVE	E	2000E	W	2100E	4100 V	9.0	53.4F	5.9F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -23-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
9039		LAKE AVENUE, S OF BELLEAIR RD	N	2500E	S	2600E	5100 V	9.0	53.4F	5.9F
9040		HIGHLAND AVE, NORTH OF EAST BAY DR	N	4900E	S	5200E	10100 V	9.0	53.4F	5.9F
9041		PONCE DE LEON BLVD, EAST OF INDIAN ROCKS ROAD	E	1200E	W	1300E	2500 V	9.0	53.4F	5.9F
9042		ISLAND WAY, NORTH OF SR 60/MEMORIAL CAUSEWAY	N	6200E	S	6300E	12500 V	9.0	53.4F	5.9F
9043		MANDALAY AVE, N OF SR 60	N	6700E	S	6800E	13500 R	9.0	53.4F	5.9F
9044		MANDALAY AVE, BTWN JEWEL ST AND BAY ESPLANADE	N	450E	S	300E	750 R	9.0	53.4F	5.9F
9046		PIERCE BLVD, NORTH OF CLEVELAND STREET	N	500E	S	500E	1000 R	9.0	53.4F	5.9F
9047		POINSETTA RD, EAST OF INDIAN ROCKS ROAD	E	450E	W	450E	900 R	9.0	53.4F	5.9F
9048		MEHLENBACHER RD, EAST OF INDIAN ROCKS ROAD	E	1600E	W	1500E	3100 R	9.0	53.4F	5.9F
9049		20TH ST SW, NORTH OF 8TH AVENUE SW	N	2100E	S	2500E	4600 R	9.0	53.4F	5.9F
9050		8TH AVE SW, EAST OF INDIAN ROCKS ROAD	E	2300E	W	2600E	4900 R	9.0	53.4F	5.9F
9051		DRYER ROAD, EAST OF INDIAN ROCKS ROAD	E	950E	W	850E	1800 R	9.0	53.4F	5.9F
9052		WILCOX ROAD, EAST OF INDIAN ROCKS ROAD	E	1900E	W	1800E	3700 R	9.0	53.4F	5.9F
9053		WALSINGHAM ROAD, EAST OF UMERTON RD/WALSINGHAM R	E	5200E	W	4900E	10100 R	9.0	53.4F	5.9F
9054		VONN ROAD, N OF WILCOX RD	N	2500E	S	2600E	5100 R	9.0	53.4F	5.9F
9055		102ND AVE N, E OF SEMINOLE BLVD	E	17500E	W	16000E	33500 R	9.0	53.4F	5.9F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -24-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
9057		60TH ST, N OF 82ND AVE N	N	1700E	S	1700E	3400 R	9.0	53.4F	5.9F
9058		74TH AVE N, E OF 137TH ST	E	850E	W	850E	1700 R	9.0	53.4F	5.9F
9059		OAKHURST RD, N OF ANTILLES DR	N	5100E	S	5200E	10300 R	9.0	53.4F	5.9F
9060		86TH AVE N, E OF OAKHURST RD	E	1700E	W	1900E	3600 R	9.0	53.4F	5.9F
9061		78TH AVE N, E OF 66 ST	E	2800E	W	2800E	5600 R	9.0	53.4F	5.9F
9062		GREENBRIAR BLVD, N OF VIRGINIA AVE	E	4700E	W	4900E	9600 R	9.0	53.4F	5.9F
9063		70TH AVE N, E OF 66TH ST N	E	2500E	W	3400E	5900 R	9.0	53.4F	5.9F
9064		58TH ST N, N OF CENTRAL AVE	N	5800E	S	9100E	14900 R	9.0	53.4F	5.9F
9065		30TH AVE N, E OF 66TH ST N	E	2800E	W	2600E	5400 R	9.0	53.4F	5.9F
9066		22ND AVE N, E OF PARK ST	E	2700E	W	3000E	5700 R	9.0	53.4F	5.9F
9067		54TH AVE N, E OF DUHME RD	E	5000E	W	3200E	8200 R	9.0	53.4F	5.9F
9068		COUNTRYSIDE BLVD, E OF BELCHER RD	E	10000E	W	10000E	20000 R	9.0	53.4F	5.9F
9069		9TH AVE N, N OF PARK ST N	E	1300E	W	1400E	2700 R	9.0	53.4F	5.9F
9070		5TH AVE N, W OF 66TH N	E	2700E	W	2800E	5500 R	9.0	53.4F	5.9F
9071		1ST AVE N (WESTBOUND), W OF 49TH ST		0E		0E	13000 R	9.0	99.9W	5.9F
9072		31ST AVE S, E OF 49TH ST S		0E		0E	300 X	9.0	53.4F	5.9F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
9073		FAIRWAY DR, E OF DEMARET DR	E	500E	W	500E	1000 R	9.0	53.4F	5.9F
9074		BOCA CIEGA, S OF 75TH AVE	N	1100E	S	1100E	2200 R	9.0	53.4F	5.9F
9075		GULF WAY, S OF 22ND AVE	N	1200	S	1000	2200 C	9.0	53.4F	5.9F
9076		DR MLK JR ST S, N OF 62ND AVE S	N	3100E	S	3300E	6400 R	9.0	53.4F	5.9F
9077		16TH ST S, S OF 22TH AVE S	N	1600E	S	1500E	3100 R	9.0	53.4F	5.9F
9078		18TH AVE S, E OF 49TH ST S	E	3200E	W	3200E	6400 R	9.0	53.4F	5.9F
9079		49TH ST N, N OF 31ST AVE S	N	850E	S	1100E	1950 R	9.0	53.4F	5.9F
9081		DR MLK JR ST S, N OF 22ND AVE S	N	7800E	S	8100E	15900 R	9.0	53.4F	5.9F
9082		DR M L KING JR ST N/9TH ST N (SOUNTHBOUND), S OF		0E		0E	10500 R	9.0	99.9W	5.9F
9083		6TH AVE S, W OF 3RD ST S	E	1400E	W	1500E	2900 R	9.0	53.4F	5.9F
9084		SNELL ISLE BLVD, E OF COFFEE POT BLVD/5TH AVE N	E	4900E	W	5100E	10000 R	9.0	53.4F	5.9F
9085		22ND AVE NE, E OF 16TH ST N	E	10500	W	11000	21500 C	9.0	53.4F	5.9F
9086		31ST ST N, N OF 9TH AVE N	N	700	S	450	1150 C	9.0	53.4F	5.9F
9087		16TH ST N, N OF 62ND AVE N	N	3400	S	3800	7200 C	9.0	53.4F	7.3F
9088		62ND AVE N, E OF HAINES RD N	E	9700E	W	10500E	20200 V	9.0	53.4F	5.9F
9089		DR MLK JR ST N, N OF HAINES RD N	N	9200	S	7300	16500 C	9.0	53.4F	5.9F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -26-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
9090		DREW ST/CR 528, E OF US 19 FRONTAGE RD NB	E	10500	W	9200	19700 C	9.0	53.4F	7.3F
9091		CR 611/BAYSIDE BRIDGE, N OF SR 686/ROOSEVELT BLV		0E		0E	70000 X	9.0	53.4F	7.3F
9092		BAYSHORE BLVD, N OF GULF TO BAY BLVD/SR 60	N	2400	S	3000	5400 C	9.0	53.4F	5.9F
9093		LAKE HAVEN RD, N OF VIRGINIA ST	N	1700	S	1700	3400 C	9.0	53.4F	5.9F
9094		MARSHALL ST, E OF N MYRTLE AVE/ALT US 19	E	1300E	W	750E	2050 S	9.0	53.4F	5.9F
9095		DOUGLAS AVE/CR 345, S OF SUNSET PT RD/CR 576	N	2700E	S	1700E	4400 S	9.0	53.4F	5.9F
9096		28TH ST N, S OF 118TH AVE N	N	3200	S	3500	6700 C	9.0	53.4F	5.9F
9097		WELLS RD/142ND AVE N, E OF BELCHER RD	E	3900	W	4500	8400 C	9.0	53.4F	5.9F
9098		1ST AVE S (EASTBOUND), E OF PASADENA AVE	E	7000		0	7000 C	9.0	99.9W	5.9F
9099		3RD ST N, N OF 5TH AVE N	N	2600	S	1200	3800 C	9.0	53.4F	5.9F
9100		8TH AVE SE, E OF CENTRAL PARK DR	E	2500	W	2600	5100 C	9.0	53.4F	5.9F
9101		26TH AVE S, E OF 34TH ST S	E	3000	W	2900	5900 C	9.0	53.4F	5.9F
9102		31ST ST S, N OF PINELLAS POINT DR S	N	3900	S	4300	8200 C	9.0	53.4F	5.9F
9103		CR 611/49TH ST N, BTWN CENTRAL AVE AND 1ST AVE N	N	10500	S	11500	22000 C	9.0	53.4F	5.9F
9104		58TH ST N, N OF ULMERTON RD/SR 688	N	2700	S	2800	5500 C	9.0	53.4F	5.9F
9105		62ND ST N, N OF ULMERTON RD	N	750	S	950	1700 C	9.0	53.4F	5.9F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -27-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
9106		66TH ST N, N OF CENTRAL AVE	N	1400	S	7300	8700 C	9.0	53.4F	5.9F
9107		102ND AVE, E OF SR 693/66TH ST	E	3300	W	3600	6900 C	9.0	53.4F	5.9F
9108		118TH AVE N, E OF 49TH ST N/CR 611 (HPMS)		0E		0E	42500 X	9.0	53.4F	7.3F
9109		150TH AVE N, E OF US 19B FRONTAGE RD	E	1800	W	2800	4600 C	9.0	53.4F	5.9F
9110		BELCHER RD, N OF 54TH AVE N	N	7600	S	8200	15800 C	9.0	53.4F	5.9F
9111		DIXIE HWY, E OF ALT US 19	E	1000	W	950	1950 C	9.0	53.4F	5.9F
9112		LAKE AVE, N OF ULMERTON RD/SR 688	N	2700	S	2900	5600 C	9.0	53.4F	5.9F
9113		CR 638/ENTERPRISE RD, W OF SR 590/PHILIPPE PKWY	W	2700	E	3000	5700 C	9.0	53.4F	5.9F
9114		EVANS RD, E OF BELCHER RD	E	1700	W	950	2650 C	9.0	53.4F	5.9F
9115		35TH TER S, E OF 31ST ST S	E	2600	W	2200	4800 C	9.0	53.4F	5.9F
9116		FLAGLER DR, E OF HIGHLAND AVE	E	80	W	50	130 C	9.0	53.4F	5.9F
9117		GARRISON RD, N OF SOLON AVE	N	1000E	S	650E	1650 S	9.0	53.4F	5.9F
9118		OAK CREEK, E OF CR 1	E	450	W	300	750 C	9.0	53.4F	5.9F
9119		LAKE ST/GEORGE DR, N OF COUNTRYSIDE BLVD	N	2300	S	2700	5000 C	9.0	53.4F	5.9F
9120		LANDMARK DR, N OF ENTERPRISE RD E	N	4000	S	3900	7900 C	9.0	53.4F	5.9F
9121		MERES BLVD, E OF FLORIDA AVE	E	1000	W	1300	2300 C	9.0	53.4F	5.9F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -28-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
9122		NORTHSIDE DR, E OF US 19	E 2300E	W 1300E	3600 S	9.0	53.4F	5.9F
9123		PINELLAS POINT DR S/66TH AVE S, E US 19	E 5300	W 4500	9800 C	9.0	53.4F	5.9F
9124		REPUBLIC DR, E OF BELCHER RD	E 1600	W 1400	3000 C	9.0	53.4F	5.9F
9125		ROY HANNA DR S, E OF 28TH ST S	E 3800	W 3500	7300 C	9.0	53.4F	5.9F
9126		SAN SALVADOR DR, E OF BAYSHORE/US ALT 19	E 550	W 550	1100 C	9.0	53.4F	5.9F
9127		SCOTTSDALE, E OF PATRICIA AVE	E 1000	W 1200	2200 C	9.0	53.4F	5.9F
9128		SEVILLE BLVD, E OF US 19	E 4800	W 5200	10000 C	9.0	53.4F	5.9F
9129		SKY HARBOR DR, S OF SR 60	N 1700	S 1700	3400 C	9.0	53.4F	5.9F
9130		SOLON AVE, E OF CR 1	E 2100	W 1900	4000 C	9.0	53.4F	5.9F
9131		SUMMERDALE DR, N OF MAIN ST/SR 580	N 1600	S 1400	3000 C	9.0	53.4F	5.9F
9132		TARPON LAKE BLVD, S OF LANSBROOK	N 1100	S 1500	2600 C	9.0	53.4F	5.9F
9133		TARPON WOODS BLVD, N OF EAST LAKE RD	0E	0E	4500 X	9.0	53.4F	5.9F
9134		UNION ST, W OF MCMULLEN BOOTH RD	E 1500	W 1500	3000 C	9.0	53.4F	5.9F
9135		58TH ST S, S OF 31ST AVE S	N 1900	S 1300	3200 C	9.0	53.4F	5.9F
9136		WHITNEY RD, E OF US 19 FRONTAGE RD	E 3300	W 3400	6700 C	9.0	53.4F	5.9F
9137		82ND AVE N, E OF SR693/66TH ST N	E 2100	W 2300	4400 C	9.0	53.4F	5.9F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -29-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
9138		BELCHER RD, N OF SUNSET POINT RD	0E	0E	25000 X	9.0	53.4F	5.9F
9139		HAINES BAYSHORE RD, E OF US 19	0E	0E	4300 X	9.0	53.4F	5.9F
9140		CR 1/KEENE RD, N OF VIRGINIA ST	0E	0E	22000 X	9.0	53.4F	5.9F
9141		28TH ST N, N OF 22ND AVE N	0E	0E	9000 X	9.0	53.4F	5.9F
9142		HAINES RD (SOUTHBOUND), S OF 50TH AVE N	0E	0E	2900 X	9.0	99.9W	5.9F
9143		5TH AVE S/DALI BLVD, N OF 3RD ST S	E 4200	0	4200 C	9.0	99.9W	5.9F
9144		1ST AVE N (WESTBOUND), W OF BEACH DR NE	0E	0E	3300 X	9.0	99.9W	5.9F
9145		SAN JOSE DR, E OF BAYSHORE BLVD	0E	0E	400 X	9.0	53.4F	5.9F
9146		BEACH DR NE, N OF COFFEE POT BLVD	0E	0E	6100 X	9.0	53.4F	5.9F
9147		PARK BLVD (WESTBOUND), W OF GULF BLVD	0E	0E	7900 X	9.0	99.9W	5.9F
9148		38TH AVE N, E OF 28TH ST N	0E	0E	34500 X	9.0	53.4F	5.9F
9149		118TH AVE N, E OF SR 693/66TH ST N	E 2100	W 2400	4500 C	9.0	53.4F	5.9F
9150		118TH AVE, E OF US 19 (HPMS)	0E	0E	31500 X	9.0	53.4F	7.3F
9151		126TH AVE N, E OF SR 693/66TH ST N	0E	0E	4900 X	9.0	53.4F	5.9F
9152		142ND AVE N, E OF US 19 FRONTAGE RD	0E	0E	3800 X	9.0	53.4F	5.9F
9153		35TH ST N, N OF 38TH AVE N	0E	0E	2500 X	9.0	53.4F	5.9F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -30-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
9154		40TH ST N, N OF 118TH AVE	0E		0E		1900 X	9.0	53.4F	5.9F
9155		46TH AVE N, W OF BELCHER RD/71ST ST N	E	4600	W	4200	8800 C	9.0	53.4F	7.3F
9156		62ND AVE N, E OF 71ST ST N	E	1900	W	1800	3700 C	9.0	53.4F	7.3F
9157		86TH AVE N, W OF CR 1/STARKEY RD	E	1800	W	2100	3900 C	9.0	53.4F	7.3F
9158		BELCHER RD/71ST ST N, N OF 46TH AVE N	N	4900	S	4900	9800 C	9.0	53.4F	5.9F
9159		60TH ST N, N OF SR 694/PARK BLVD	N	900	S	650	1550 C	9.0	53.4F	5.9F
9160		BRYAN LN, W OF EAST LAKE RD/CR 611	E	1400	W	1400	2800 C	9.0	53.4F	5.9F
9161		HIGHPOINT DR, N OF LANSBROOK PKWY	N	1400	S	1200	2600 C	9.0	53.4F	5.9F
9162		RIDGELINE BLVD, W EAST LAKE ROAD/CR 611	0E		0E		4400 X	9.0	53.4F	5.9F
9163		SILVER EAGLE DR, N OF RIDGELINE BLVD	N	850	S	1300	2150 C	9.0	53.4F	5.9F
9164		TRINITY BLVD, E OF CR 611/EAST LAKE RD	0E		0E		21500 X	9.0	53.4F	5.9F
9165		WOODLANDS PKWY, E OF EAST LAKE BUS	0E		0E		3700 X	9.0	53.4F	7.3F
9166		60TH ST, S OF 102ND AVE N	0E		0E		3500 X	9.0	53.4F	5.9F
9167		E LAKE WOODLANDS PKWY, N OF CR 752/TAMPA RD	E	3200	W	3100	6300 C	9.0	53.4F	5.9F
9168		MEMORIAL CAUSEWAY, E OF ROUNDABOUT (HPMS)	0E		0E		31500 X	9.0	53.4F	5.9F
9169		BRYAN DAIRY RD, W OF SR 693/66TH ST N (HPMS)	0E		0E		52500 X	9.0	53.4F	7.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
9170		49TH ST N (SOUTHBOUND), N OF 22ND AVE N	S	10000		0	10000 C	9.0	99.9W	5.9F
9171		S HERCULES AVE (SOUTHBOUND), SOUTH OF DRUID RD	S	1400		0	1400 C	9.0	99.9W	4.0F
9172		FOREST LAKES BLVD, S OF TAMPA RD/SR 584	E	7300	W	10500	17800 C	9.0	53.4F	7.3F
9173		77TH AVE N, W OF 4TH ST N/US 92	W	2800		0	2800 C	9.0	99.9W	5.9F
9174		BLIND PASS RD, N OF GULF BLVD	N	950	S	750	1700 C	9.0	53.4F	5.9F
9175		BELLEAIR RD, W OF LAKE AVE	E	8000	W	7100	15100 C	9.0	53.4F	5.9F
9176		CLEARWATER-LARGO RD, N OF WEST BAY DR (HPMS)	N	8500E	S	9100E	17600 S	9.0	53.4F	7.3F
9177		W BAY DR, W OF S INDIAN ROCKS DR S/CR 233	E	9100	W	10000	19100 C	9.0	53.4F	5.9F
9178		CLEVELAND ST, E OF S FT HARRISON AVE (HPMS)		0E		0E	2500 X	9.0	53.4F	7.3F
9179		GULF TO BAY BLVD, W OF HIGHLAND AVE (HPMS)	E	1300	W	1500	2800 C	9.0	53.4F	5.9F
9180		CR 528/DREW ST, E OF BELCHER RD	E	14500	W	15500	30000 C	9.0	53.4F	5.9F
9181		DR MLK JR BLVD, S OF HAINES RD	N	8700E	S	9200E	17900 S	9.0	53.4F	5.9F
9182		HAINES ROAD, 62ND AVE N	N	8100	S	3800	11900 C	9.0	53.4F	4.0F
9183		CR 1/OMAHA ST, N OF MAIN ST/SR 580	N	11000	S	12500	23500 C	9.0	53.4F	5.9F
9184		4TH ST S, N OF 54TH AVE S	N	4700	S	4600	9300 C	9.0	53.4F	5.9F
9185		PASS-A-GRILL WAY, N OF 1ST AVE	N	1800	S	1800	3600 C	9.0	53.4F	5.9F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
9186		GULFPORT BLVD, E OF 58TH ST S	E 8700	W 8700	17400 C	9.0	53.4F	5.9F
9187		GULF BLVD, N OF WALSINGHAM RD/SR 688	N 9300	S 8800	18100 C	9.0	53.4F	5.9F
9188		CORONADO DR, N OF GULFVIEW BLVD	0E	0E	9100 X	9.0	53.4F	5.9F
9189		CR 150/CENTRAL AVE N, E OF GULF BLVD	E 9200	W 8400	17600 C	9.0	53.4F	5.9F
9190		CENTRAL AVE, E OF PASADENA AVE	E 4600	W 7700	12300 C	9.0	53.4F	7.3F
9191		CENTRAL AVE, W OF MLK ST	E 4300	W 2900	7200 C	9.0	53.4F	5.9F
9192		CENTRAL AVE, E OF 49TH ST	E 5300E	W 4300E	9600 S	9.0	53.4F	5.9F
9193		DUNEDIN CAUSEWAY, W OF ALT US 19	E 6100	W 6500	12600 C	9.0	53.4F	5.9F
9194		SUNSET POINT RD, E OF EDGEWATER DR/ALT US 19	E 2300	W 2300	4600 C	9.0	53.4F	5.9F
9195		STARKEY RD, N OF PARK BLVD	N 14000E	S 13500E	27500 V	9.0	53.4F	5.9F
9196		62ND AVE N, E OF 66TH ST N/SR 693	E 3200	W 3600	6800 C	9.0	53.4F	5.9F
9197		ANCLOTE RD, W OF ALT US 19	W 2400	E 2400	4800 C	9.0	53.4F	5.9F
9198		113TH ST N, S OF SR 688/ULMERTON RD	N 8600	S 8700	17300 C	9.0	53.4F	5.9F
9199		54TH AVE S, E OF 22ND ST S	E 8600	W 9200	17800 C	9.0	53.4F	5.9F
9200		OAKHURST RD/CR 233, S OF WALSINGHAM RD/SR 688	E 4900	W 6000	10900 C	9.0	53.4F	5.9F
9202		EAST LAKE BUS, S OF MCMULLEN BOOTH RD (HPMS)	0E	0E	16500 X	9.0	53.4F	5.9F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
9203		54TH AVE N, E OF US 19/34TH ST N	E	12000	W	15000	27000 C	9.0	53.4F	5.9F
9204		BELCHER RD, N OF EAST BAY DR	N	9000	S	10500	19500 C	9.0	53.4F	5.9F
9205		GULFPORT BLVD, E OF PASADENA AVE	E	7900	W	7600	15500 C	9.0	53.4F	5.9F
9206		MCMULLEN BOOTH RD, N OF SR 590/10TH ST N (HPMS)		0E		0E	69000 X	9.0	53.4F	5.9F
9207		MCMULLEN BOOTH RD, S OF SR 580/MAIN ST (HPMS)		0E		0E	68000 X	9.0	53.4F	5.9F
9208		INDIAN ROCKS/CR 233, N OF WALSINGHAM RD/SR 688	N	6300	S	6600	12900 C	9.0	53.4F	5.9F
9209		49TH ST N, N OF PARK BLVD	N	18000	S	21000	39000 C	9.0	53.4F	5.9F
9210		49TH ST N, N OF 38TH AVE N	N	16000	S	19000	35000 C	9.0	53.4F	5.9F
9211		38TH AVE N/CR 595A, E OF 34TH ST N	E	16500	W	15500	32000 C	9.0	53.4F	5.9F
9212		38TH AVE N, E OF US 19A/TYRONE BLVD	E	7700E	W	9100E	16800 S	9.0	53.4F	5.9F
9218		LAKEVIEW RD, E OF FT HARRISON AVE	N	3900	S	3600	7500 C	9.0	53.4F	5.9F
9219		DR ML KING JR ST S (NORTHBOUND), S OF 4TH AVE N	N	12000		0	12000 C	9.0	99.9W	5.9F
9220		EAST LAKE BUSINESS (NORTHBOUND), RAMP FROM MCMUL		0E		0E	9500 X	9.0	99.9W	5.9F
9222		VIRGINIA STREET, E OF HIGHLAND AVE		0E		0E	5300 X	9.0	53.4F	5.9F
9223		S HERCULES AVE, S OF GULF TO BAY		E		E	5400 E	9.0	53.4F	5.9F
9224		22ND AVE, E OF GULF WAY		0E		0E	700 X	9.0	53.4F	5.9F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE	SITE					AADT	"K"	"D"	"T"
TYPE	DESCRIPTION	DIRECTION 1	DIRECTION 2	TWO-WAY	FCTR	FCTR	FCTR		
=====	=====	=====	=====	=====	=====	=====	=====		
9225	DR M L KING JR ST N, S OF 9TH AVE N	E	E	14500 E	9.0	53.4F	5.9F		
9226	1ST ST NE/1ST ST N, S OF 78TH AVE N	0E	0E	3700 X	9.0	53.4F	5.9F		
9227	77 AVE N (WESTBOUND), E OF DR M L KING JR ST N	0E	0E	3700 X	9.0	53.4F	5.9F		
9228	49 ST N, S OF 38 AVE N	N	11500E S	10500E	22000 V	9.0	53.4F	5.9F	
9229	N SATURN AVE, N OF DREW ST	0E	0E	1400 X	9.0	53.4F	5.9F		
9231	BEACH DR NE, N OF 1ST AVE N	0E	0E	4900 X	9.0	53.4F	5.9F		
9232	5TH AVE N, E OF 3RD ST N	0E	0E	9900 X	9.0	53.4F	5.9F		
9233	125TH ST N, N OF PARK BLVD	0E	0E	4700 X	9.0	53.4F	5.9F		
9234	126TH AVE N, E OF 49TH ST N	E	1600E W	2100E	3700 S	9.0	53.4F	5.9F	
9235	126TH AVE N, W OF 34TH ST N	0E	0E	2700 X	9.0	53.4F	5.9F		
9236	34TH ST N, N OF 118TH AVE N	0E	0E	6800 X	9.0	53.4F	5.9F		
9237	98TH ST N, N OF 86TH AVE N	0E	0E	4600 X	9.0	53.4F	5.9F		
9238	CR-39, 450 FT E OF BELCHER RD	0E	0E	4100 X	9.0	53.4F	5.9F		
9239	CURLEW AVE, E OF BELCHER RD	0E	0E	700 X	9.0	53.4F	5.9F		
9240	FORELOCK RD, E OF CR 611/EAST LAKE RD	0E	0E	4200 X	9.0	53.4F	5.9F		
9241	LAKE FRONT DR, E OF LANSBROOK PKWY	0E	0E	1500 X	9.0	53.4F	5.9F		

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -35-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
9242		LANSBROOK PKWY, N OF LAKEFRONT DR	0E	0E	1400 X	9.0	53.4F	5.9F
9243		CURLEW AVE, BTWN US 19 AND LIVE OAK ST	0E	0E	350 X	9.0	53.4F	5.9F
9244		LORA LN, S OF KEYSTONE RD	0E	0E	600 X	9.0	53.4F	5.9F
9245		74TH AVE N, E OF RIDGE RD	0E	0E	2800 X	9.0	53.4F	5.9F
9246		DIXIE HWY, N OF BECKETT WAY	0E	0E	1800 X	9.0	53.4F	5.9F
9247		RIDGE RD, 1450 FT N OF CR-296/102ND AVE N	0E	0E	2100 X	9.0	53.4F	5.9F
9248		RIDGEMOOR BLVD, E OF EAST LAKE RD	0E	0E	7900 X	9.0	53.4F	5.9F
9249		VILLAGE CENTER DR, E OF TARPON LAKE BLVD	0E	0E	3000 X	9.0	53.4F	5.9F
9250		WEST LAKE RD, N OF TAMPA RD	0E	0E	11500 X	9.0	53.4F	5.9F
9251		WOODFIELD BLVD, N OF FORELOCK RD	0E	0E	3000 X	9.0	53.4F	5.9F
9252		WOODLANDS BLVD, N OF E LAKE WOODLANDS PKY	0E	0E	350 X	9.0	53.4F	5.9F
9253		GULF BLVD, S OF GULFVIEW BLVD	0E	0E	1000 X	9.0	53.4F	5.9F
9254		77TH AVE N, BTWEEN 9TH ST N AND 16TH ST N	0E	0E	2000 X	9.0	53.4F	5.9F
9255		BAYWAY BLVD, W/O OF GULF BLVD	0E	0E	1200 X	9.0	53.4F	5.9F
9256		MAIN ST, 125 FT W OF DOUGLAS AVE	0E	0E	3600 X	9.0	53.4F	5.9F
9257		GULF BLVD, S OF SR 682	N 4700E	S 5900E	10600 S	9.0	53.4F	5.9F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -36-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
9258		GULFVIEW BLVD, W/O OF GULF BLVD	0E		0E		1200 X	9.0	53.4F	5.9F
9259		DR MARTIN LUTHER KING JR ST N, N OF SR686/ROOSEV	E		E		21500 E	9.0	53.4F	5.9F
9262		SUNSET POINT RD, E OF US 19	E		E		18000 E	9.0	53.4F	5.9F
9263		PARK ST, N OF ALT US 19/TYRONE BLVD	E		E		29000 E	9.0	53.4F	5.9F
9600		49TH ST N B/W ULMERTON RD AND 118TH AVE N	N	12000	S	12500	24500 C	9.0	53.4F	7.3F
9601		BELCHER RD B/W BRYAN DAIRY RD AND PARK BLVD N	N	9700	S	9000	18700 C	9.0	53.4F	7.3F
9602		16TH ST N B/W 30TH AVE N AND 22ND AVE N	N	7300	S	7000	14300 C	9.0	53.4F	7.3F
9603		BELCHER RD B/W 'TAMPA RD' AND 'CURLEW RD'	N	12000	S	11500	23500 C	9.0	53.4F	4.6F
9604		KEENE RD B/W SUNSET POINT RD AND DREW ST	N	11000	S	13000	24000 C	9.0	53.4F	4.6F
9605		113TH ST B/W 102ND AVE N AND 86TH AVE N	N	10500	S	9600	20100 C	9.0	53.4F	5.9F
9606		54TH AVE N B/W HAINES RD N AND I-275	E	16000E	W	18500E	34500 S	9.0	53.4F	5.9F
9608		62ND AVE N BETWEEN '49TH ST N' AND 'US 19'	E	5600	W	6100	11700 C	9.0	53.4F	4.6F
9610		150TH AVE N BETWEEN '58TH ST N' AND '49TH ST N'	E		E		2000 E	9.0	53.4F	5.9F
9611		GATEWAY CENTRE BLVD BETWEEN 'US 19' AND 'GATEWAY	E	6400E	W	5100E	11500 S	9.0	53.4F	5.9F
9612		UNION ST BETWEEN 'HIGHLAND AVE' AND 'KEENE RD'	E		E		9000 E	9.0	53.4F	5.9F
9613		S MLK AVE BETWEEN 'LAKEVIEW RD' AND 'PONCE DE LE	E		E		5100 E	9.0	53.4F	5.9F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -37-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
9614		CLEVELAND ST BETWEEN 'S LAKE DR' AND 'KEENE RD'	E	E	3800 E	9.0	53.4F	4.6F
9615		CLEVELAND ST BETWEEN 'HERCULES AVE' AND 'BELCHER	E	E	3000 E	9.0	53.4F	4.6F
9616		DRUID RD BETWEEN 'S LAKE DR' AND 'KEENE RD'	E	E	10000 E	9.0	53.4F	4.6F
9617		DRUID RD,HERCULES AVETO BELCHER RD	E	5100E W	5100E 10200 E	9.0	53.4F	4.6F
9618		LAKEVIEW RD, S LAKE DR TO KEENE RD	E	3300E W	3300E 6600 E	9.0	53.4F	4.6F
9620		NURSERY RD, KEENE RD TO BELCHER RD	E	4800E W	5600E 10400 E	9.0	53.4F	4.6F
9621		HIGHLAND AVE, PALMETTO ST TO DREW ST	N	6200 S	5800 12000 C	9.0	53.4F	4.6F
9622		HIGHLAND AVE, DRUID RD TO LAKEVIEW RD	N	5300E S	5200E 10500 E	9.0	53.4F	4.6F
9623		70TH AVE N, 49TH ST N TO US 19	E	4300 W	5300 9600 C	9.0	53.4F	4.6F
9624		30TH AVE N, 49TH ST N TO 34TH ST N	E	4800E W	5000E 9800 E	9.0	53.4F	4.6F
9625		30TH AVE N, MLK JR ST NTO 4TH ST N	E	3700E W	3500E 7200 E	9.0	53.4F	4.6F
9626		54TH AVE N, SEMINOLE BLVD TO 100TH WAY N	E	2900E W	3000E 5900 E	9.0	53.4F	4.6F
9627		18TH AVE S, MLK JR ST NTO 4TH ST N		0E	0E 4800 E	9.0	53.4F	4.6F
9628		22ND ST S, 15TH AVE S TO 18TH AVE S	N	3200E S	3200E 6400 E	9.0	53.4F	4.6F
9629		31ST ST N, 5TH AVE N TO 1ST AVE N	N	3100E S	2900E 6000 E	9.0	53.4F	4.6F
9630		LANDMARK DR, CURLEW RD TO SR 580	N	2000E S	2000E 4000 E	9.0	53.4F	4.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -38-

622UPD

7_15_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2024 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 15 PINELLAS

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
9631		PINELLAS POINT DR S, 28TH ST S TO MLK JR ST S	E	2000E	W	2300E	4300 E	9.0	53.4F	4.6F
9632		28TH ST S, 15TH AVE S TO 18TH AVE S	N	2900E	S	2700E	5600 E	9.0	53.4F	4.6F
9633		5TH AVE S, 49TH ST N TO 34TH ST N	E	4400E	W	4800E	9200 E	9.0	53.4F	4.6F
9634		RIDGE RD, 102ND AVE N TO 86TH AVE N	N	2100E	S	2800E	4900 E	9.0	53.4F	4.6F
9635		SHORE DR, SR 580 TO LAFAYETTE BLVD	E	1300E	W	1300E	2600 E	9.0	53.4F	4.6F
9636		15TH AVE S, 49TH ST N TO 34TH ST N	E	3600E	W	3500E	7100 E	9.0	53.4F	4.6F
9637		15TH AVE S BETWEEN 'MLK JR ST N' AND '4TH ST N'		0E		0E	600 E	9.0	53.4F	10.0F
9638		22ND ST N BETWEEN '5TH AVE N' AND '1ST AVE N'	N	700E	S	450E	1150 E	9.0	53.4F	10.0F
9639		HAMPTON RD BETWEEN 'DREW ST' AND 'SR 60 / GULF T	N	1600E	S	1500E	3100 E	9.0	53.4F	18.7F
9640		MARSHALL ST BETWEEN 'GREEN SPRINGS DR' AND 'PHIL	E	1600E	W	1500E	3100 E	9.0	53.4F	10.0F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2025 11:48:49

PAGE -39-

622UPD

7_15_CAADT.TXT