

FLORIDA DEPARTMENT OF TRANSPORTATION
2025 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 01 CHARLOTTE

SITE =====	SITE TYPE =====	DESCRIPTION =====		DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0001		SR 776, EAST OF CR 775 & AINGER CREEK CH14		E 14500E	W 14500E	29000 S	9.0	53.0F	5.1P
0002		CR 775/PLACIDA, S OF SR 776 AT AINGER CREEK CC		N 8400E	S 8600E	17000 F	9.0	53.1F	5.9F
0004		SR 776, SOUTHWEST OF SR 45/US 41 CH306		E 14500E	W 14000E	28500 F	9.0	53.0F	10.6P
0007		SR45/US41, 300' NW OF MURDOCK CIR/SE OF SR776 C		E	E	50000 E	9.0	53.3F	2.7F
0008		SR 35/US 17, N OF CR 764/S WASHINGTON LP RD (CH1		E	E	18000 E	9.0	51.8F	9.4D
0010		SR 35/US 17, 2500' NE OF CR 74/BERMONT RD CH28		E 9600E	W 9700E	19300 S	9.0	51.8F	20.6P
0011		N BEACH RD, 100 FT S OF LEMON BAY DR, ENGLEWOOD		N 1800	S 1800	3600 C	9.0	53.1F	5.9F
0015		SR 35/US 17 SB/MARION AV, NE OF DUPONT ST CH 2		0E	0E	11500 F	9.0	99.9W	6.3P
0016		SR 45/US41, 1 MI NORTH OF CR 765 @ BRIDGE CH28		N 15500E	S 16000E	31500 S	9.0	53.3F	8.5P
0019		SR 45/US 41, SOUTHEAST OF ZEMEL ROAD CH18		N 12500	S 11500	24000 C	9.5	53.3F	12.7A
0021		SR 45/US 41, SE OF CR 765/ALLIGATOR CREEK CH18		N 8200E	S 8200E	16400 F	9.0	53.3F	15.5P
0022		CR 775/ PLACIDA, S OF ROTUNDA BLVD CC 140		N 6800E	S 6600E	13400 F	9.0	53.1F	5.9F
0023		SR 35/US 17, SOUTH OF DESOTO COUNTY LINE CH		N 8100E	S 8000E	16100 S	9.5	51.8F	20.5P
0029		SR 776, 200' WEST OF CR 771 CH1		E	E	32000 E	9.0	53.0F	7.5F
0030		SR45/US41, 300' NW OF OLEAN BLVD.		E	E	55000 E	9.0	53.3F	2.7F
0032		SR45/US41NB, NW OF PEACE RIVER/MELBOURNE ST CH2		0E	0E	34000 E	9.0	99.9W	51.0F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

19-FEB-2026 11:48:29

PAGE -01-

622UPD

1_01_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2025 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 01 CHARLOTTE

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0033		SR45/US41/CROSS ST SB, NW OF PEACE RIVR BDG CH2		0E		0E	33000 E	9.0	99.9W	51.0F
0034		SR 93/I 75, SOUTHEAST OF NORTH JONES LOOP RD/CR	N	35000	S	34500	69500 C	9.5	52.5F	16.5A
0036		SR 93/I 75, 0.4 MI SE OF HARBOR VIEW ROAD/CR 776	N	39500	S	42000	81500 C	9.0	52.5F	16.3A
0037		SR 93/I 75, SOUTHEAST OF KINGS HIGHWAY/CR 769	N	35500	S	34500	70000 C	9.0	52.5F	15.9A
0038		SR 93/I 75, NORTHWEST OF KINGS HIGHWAY/CR 769	N	31500	S	33000	64500 C	9.0	52.5F	16.8A
0039		SR-31, S OF CR 74	N	3600	S	3300	6900 C	9.5	53.4F	48.2A
0040		SR 776, WEST OF CR 775/PINE STREET (CC1	W	14500	E	15000	29500 C	9.0	53.0F	4.1A
0041		SR 31, NORTH OF CR 74	N	3600	S	3400	7000 C	9.5	53.4F	56.6A
0042		SR 776, WEST OF GULFSTREAM BOULEVARD CH144	E	18500	W	18000	36500 C	9.0	53.0F	5.8A
0044		SR 776, WEST OF SUNNYBROOKE BOULEVARD CH146	E	14500E	W	15500E	30000 F	9.0	53.0F	7.6P
0045		SR 776, W OF SAM KNIGHT CRK/W OF BISCAYNE DR	E	18000	W	19000	37000 C	9.0	53.0F	9.9A
0048		SR 45/US 41, 600' W OF N TOLEDO BLADE/CR39 CH2	W	19000E	E	19000E	38000 S	9.0	53.3F	5.5P
0049		SR-45/US-41, N OF SR 776 CH23		E		E	42000 E	9.0	53.3F	5.2F
0050		SR 45/US 41, NW OF COCHRAN BOULEVARD CH97	N	28000E	S	27000E	55000 F	9.0	53.3F	4.1P
0051		SR 776, EAST OF W GULFSTREAM BLVD CH143		E		E	34000 E	9.0	53.0F	7.5F
0052		SR 776, EAST OF SUNNYBROOK BOULEVARD CH145	E	13500E	W	13000E	26500 S	9.0	53.0F	9.7P

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

19-FEB-2026 11:48:29

PAGE -02-

622UPD

1_01_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2025 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 01 CHARLOTTE

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0055		SR-93/I-75, S OF TUCKERS GRADE BLVD	N	35000E	S	35000E	70000 S	10.5	52.5F	13.5P
0058		SHREVE ST, NORTH OF PAMPANO TERRACE	N	2200E	S	2400E	4600 S	9.0	53.1F	51.0F
0059		LOVELAND BLVD, S OF PEACHLAND BLVD	N	4600E	S	4700E	9300 F	9.0	53.1F	51.0F
0060		RAMPART BLVD, BTWN LOVELAND BLVD AND KINGS HWY	E	3100E	W	2200E	5300 S	9.0	53.1F	16.3F
0061		PELLAM BLVD, BTWN EDGEWATER DR AND COCHRAN BLVD	N	1300	S	1400	2700 C	9.0	53.1F	16.3F
0062		PAULSON DR, BTWN US 41 AND VETERANS BLVD	E	2700E	W	2900E	5600 S	9.0	53.1F	2.7F
0063		PRINEVILLE ST, BTWN PAULSON DR AND HILLSBOROUGH	N	2900E	S	2800E	5700 S	9.0	53.1F	51.0F
0064		RAMPART BLVD, BTWN VICTORIA ESTATES ST AND KINGS	E	6600E	W	7800E	14400 F	9.0	53.1F	51.0F
0228	T	SR-776, 427' SW OF RIVERBEACH DR, CHARLOTTE CO.	E	17549	W	17734	35283 C	9.0	54.2A	9.1A
0350	T	SR-93/I-75, @AIRPORT RD OP, PUNTA GORDA, CHARLOTTE	N	38062	S	38854	76916 C	9.5	52.5A	15.9A
0367	T	SR-45/US-41, 4.6 MI N OF LEE CO LINE, CHARLOTTE CO	N	10967	S	10653	21620 C	9.5	51.8A	10.7A
4002		CHAMBERLAIN BLVD, WEST OF US 41/SR 45 CC 02	E	1300E	W	1000E	2300 S	9.0	53.1F	51.0F
4007		EDGEWATER DRIVE, E OF FLAMINGO BLVD CC 07	E	3300E	W	3100E	6400 S	9.0	53.1F	16.3F
4009		FLAMINGO BLVD, S OF SR 776/EL JOBEAN RD CC 09	N	3100E	S	3000E	6100 S	9.0	53.1F	2.7F
4011		HILLSBOROUGH BLVD, E OF TOLEDO BLADE/CR39 CC	E	4000E	W	3700E	7700 S	9.0	53.1F	7.1P
4026		VETERANS BLVD, EAST OF HARBOR BLVD CC 26	E	14500E	W	13500E	28000 S	9.0	53.1F	12.0P

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

19-FEB-2026 11:48:29

PAGE -03-

622UPD

1_01_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2025 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 01 CHARLOTTE

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
4031		COLLINGSWOOD BLVD, NORTH OF EDGEWATER DR CC31	N 2700E	S 2700E	5400 S	9.0	53.1F	51.0F
4035		EDGEWATER DR, EAST OF COUSLEY DR CC 35	E 7800E	W 8100E	15900 S	9.0	53.1F	51.0F
4040		EDGEWATER DR, WEST OF MIDWAY BLVD CC40	E 5200E	W 5400E	10600 S	9.0	53.1F	51.0F
4048		HARBOR BLVD, NORTH OF OLEAN BLVD CC 48	N 5500E	S 5600E	11100 S	9.0	53.1F	4.4P
4054		KINGS HWY, N OF HARBORVIEW RD CC 54	N 8400E	S 7900E	16300 S	9.0	53.1F	5.9P
4058		LAKEVIEW BLVD, S OF COCHRAN BLVD CC 58	N 5200E	S 5400E	10600 S	9.0	53.1F	16.3F
4062		MIDWAY BLVD, N OF EDGEWATER DR CC 62	N 2200E	S 2100E	4300 F	9.0	53.1F	16.3F
4065		MIDWAY BLVD, EAST OF HARBOR BLVD CC 65	E 9500E	W 9700E	19200 S	9.0	53.1F	51.0F
4066		MIDWAY BLVD, WEST OF HARBOR BLVD CC 66	E 8900E	W 9400E	18300 S	9.0	53.1F	51.0F
4071		OLEAN BLVD, EAST OF CONWAY BLVD CC 71	E 3000E	W 2800E	5800 S	9.0	53.1F	5.0P
4072		OLEAN BLVD, W OF AARON ST CC 72	E 5100E	W 4800E	9900 S	9.0	53.1F	51.0F
4083		MURDOCK CIRCLE, WEST OF US 41/SR 45 CC 83	E 7100E	W 6100E	13200 S	9.0	53.1F	2.7P
4087		MURDOCK CIRCLE, EAST OF US 41/SR 45 CC 87	E 6600E	W 6800E	13400 S	9.0	53.1F	2.7F
4103		HARBORVIEW DRIVE, E OF I-75 CC 103	E 5600E	W 6000E	11600 F	9.0	53.1F	16.3F
4104		HARBORVIEW DRIVE, WEST OF I-75 CC 104	E 5600E	W 5300E	10900 S	9.0	53.1F	9.8P
4105		KINGS HWY, N OF SANDHILL BLVD, CC 105	N 12000E	S 12000E	24000 S	9.0	53.1F	9.7P

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

19-FEB-2026 11:48:29

PAGE -04-

622UPD

1_01_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2025 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 01 CHARLOTTE

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
4109		SANDHILL BLVD, EAST OF KINGS HWY CC 109	E 8300E	W 8300E	16600 S	9.0	53.1F	51.0F
4111		CR 74/BERMONT ROAD, EAST OF US 17/SR 35 CC 111	E 4600E	W 4600E	9200 S	9.0	53.1F	32.1P
4113		PEACHLAND BLVD, W OF VETERANS BLVD	E 7200E	W 5800E	13000 S	9.0	53.1F	16.3F
4114		KINGS HWY., SOUTH OF VETERANS BLVD.	N 13500E	S 13000E	26500 S	9.0	53.1F	6.5P
4123		CHANCELLOR BLVD, EAST OF BISCAYNE DRIVE CC 12	E 2100E	W 2300E	4400 S	9.0	53.1F	51.0F
4124		CHANCELLOR BLVD, EAST OF FOUNTAIN ST CC 124	E 2800E	W 2900E	5700 S	9.0	53.1F	51.0F
4152		COOPER ST, SOUTH OF GRANT STREET CC 152	N 4300E	S 4400E	8700 S	9.0	53.1F	16.3F
4153		FLORIDA ST, NORTH OF AIRPORT RD CC 153	N 450E	S 400E	850 S	9.0	53.1F	9.0P
4156		GASPARILLA RD N OF EL GASPAR DR	N 3700E	S 3800E	7500 S	9.0	53.1F	13.0P
4167		ACLIN RD, WEST OF TAYLOR RD CC 167	E 1000E	W 850E	1850 S	9.0	53.1F	11.7P
4170		AQUI ESTA DR, WEST OF US 41/SR 45 CC 170	E 4400E	W 4400E	8800 S	9.0	53.1F	51.0F
4171		BURNT STORE RD, WEST OF US 41/SR 45	N 10500E	S 10500E	21000 S	9.0	53.0F	10.4P
4173		JONES LOOP RD N, EAST OF TAYLOR RD CC 173	W 13500E	E 13500E	27000 S	9.5	53.1F	19.9P
4174		JONES LOOP RD N, EAST OF PIPER RD CC 174	W 2100E	E 2100E	4200 S	9.5	53.1F	15.9P
4178		RIVERSIDE DR, WEST OF FLORIDA STREET CC 178	E 1300E	W 1600E	2900 S	9.0	53.1F	9.7P
4187		BURNT STORE RD/CR 765, AT LEE COUNTY LINE CC 18	N 7900E	S 7800E	15700 S	9.5	53.0F	11.7F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

19-FEB-2026 11:48:29

PAGE -05-

622UPD

1_01_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2025 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 01 CHARLOTTE

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
4193		JONES LOOP RD S, EAST OF TAYLOR RD CC 193	E 1300E	W 1300E	2600 S	9.0	53.1F	51.0F
4196		TOLEDO BLADE BLVD, N OF SR 45/US 41	N 10500E	S 10500E	21000 S	9.0	53.1F	51.0F
4225		DEEP CREEK BLVD, NORTH OF SANDHILL BLVD CC 225	N 4200E	S 4200E	8400 S	9.0	53.1F	51.0F
4248		AIRPORT RD, EAST OF US 41/SR 45 CC 248	E 2900E	W 3200E	6100 S	9.0	53.1F	16.3F
4249		AIRPORT RD, WEST OF TAYLOR RD CC 249	E 3000E	W 3000E	6000 S	9.0	53.1F	5.2P
4256		NOTRE DAME BLVD, WEST OF PINETRAIL RD CC 256	E 450E	W 450E	900 S	9.0	53.1F	51.0F
4258		COCHRAN BLVD W OF EDUCATION WAY	E 5500E	W 6200E	11700 R	9.0	53.1F	16.3F
4259		COCHRAN BLVD, N OF US 41	N 10500E	S 11000E	21500 S	9.0	53.1F	4.4P
4260		PEACHLAND BLVD E OF COCHRAN BLVD	E 4900E	W 5100E	10000 R	9.0	53.1F	16.3F
4273		NORTH JONES LOOP ROAD, WEST OF TAYLOR ROAD	E 9600E	W 9300E	18900 S	9.0	53.1F	18.3P
4282		VETERANS BLVD, E OF COCHRAN/TOLEDO BLADE BLVD CC	E 14500E	W 13500E	28000 S	9.0	53.1F	10.7P
4310		WINCHESTER BLVD, 0.26 MI N OF SR-776	N 5300E	S 5000E	10300 S	9.0	53.1F	12.9P
4314		HENRY STREET, W OF MARION AVE PG 314	E 6900E	W 7000E	13900 S	9.0	53.1F	6.6P
4315		HENRY STREET, EAST OF SHREVE PG 315	E 1800E	W 1800E	3600 S	9.0	53.1F	51.0F
4326		CR-765A/TAYLOR RD, 450 FT SE OF US-41	N 4100E	S 3100E	7200 S	9.0	53.1F	4.2P
4329		W MARION AVE, W OF CORONADO DR PG 329	E 2300E	W 2200E	4500 S	9.0	53.1F	5.9F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

19-FEB-2026 11:48:29

PAGE -06-

622UPD

1_01_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2025 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 01 CHARLOTTE

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
4330		W MARION AVE, WEST OF BAL HARBOR BLVD PG 330	E 3300E	W 3300E	6600 S	9.0	53.1F	51.0F
4400		AIRPORT RD, 0.32 MI E OF TAYLOR RD	E 2100	W 2100	4200 C	9.0	53.1F	51.0F
4401		GOLF COURSE BLVD, 1100 FT S OF US-17	N 950E	S 1000E	1950 S	9.0	53.1F	15.8P
4405		FLAMINGO BLVD, S OF US 41/TAMIAMI TRL (HPMS ID:	N 300E	S 300E	600 S	9.0	53.1F	51.0F
4406		ATWATER ST, 400 FT N OF PEACHLAND BLVD	N 2100E	S 2100E	4200 S	9.0	53.1F	6.2P
4414		OLEAN BLVD, 850 FT E OF CR-769/KINGS HWY	E 500	W 450	950 C	9.0	53.1F	51.0F
4421		CR-776A/MELBOURNE ST, 450 FT N OF US-41/TAMIAMI	N 2300E	S 1000E	3300 S	9.0	53.1F	6.9P
4422		PIPER RD, S OF AIRPORT RD	N 5600E	S 5300E	10900 S	9.0	53.1F	51.0F
4423		E HENRY STREET, 700 FT E OF I-75	E 1000E	W 1300E	2300 S	9.0	53.1F	51.0F
4424		GASPARILLA ROAD, 300 FT N OF GULF SHORES DR AND	N 3100	S 3100	6200 C	9.0	53.1F	51.0F
4425		ROTANDA BLVD. WEST, E OF BOUNDARY BLVD	E 1800E	W 2000E	3800 R	9.0	53.1F	51.0F
4426		TUCKERS GRADE BLVD, BTWN TRIBUNE BLVD AND LAMON	E 8800E	W 8600E	17400 S	9.0	53.1F	51.0F
4427		WINCHESTER BLVD.	N 2100	S 2200	4300 C	9.0	53.1F	51.0F
4428		WINCHESTER BLVD., N OF WORTH AVE	N 4700E	S 5100E	9800 R	9.0	53.1F	51.0F
4429		CARMALITA ST, 350 FT E OF COOPER ST	E 850	W 950	1800 C	9.0	53.1F	51.0F
4430		BAL HARBOR BLVD, BTWN VIA BIANCA AND VIA DOLCE V	N 2000	S 2100	4100 C	9.0	53.1F	51.0F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

19-FEB-2026 11:48:29

PAGE -07-

622UPD

1_01_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2025 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 01 CHARLOTTE

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
4431		WEST MARION AVE, BTWN BERRY AND SHREVE ST		0E		0E	6500 S	9.0	99.9W	51.0F
4432		OLEAN BLVD, 650 FT E OF CLIFFORD ST	E	2300E	W	2400E	4700 S	9.0	53.1F	51.0F
4433		WILMINGTON BLVD, BTWN SHEFFIELD AND BOWIE LANES	N	1300E	S	1700E	3000 S	9.0	53.1F	51.0F
4434		PINE STREET, BTWN E 4TH AND E 5TH ST	N	5300E	S	5100E	10400 S	9.0	53.1F	51.0F
4435		BRIG CIRCLE W, 100 FT S OF MASTER DR, ROTONDA	N	200	S	200	400 C	9.0	53.1F	51.0F
4436		BAYSHORE DRIVE, 300 FT S OF GLASS LN	N	750	S	700	1450 C	9.0	53.1F	51.0F
4437		MIDWAY BLVD, 850 FT NE OF US 41, BTWN ALBURY DR	E	9400E	W	10000E	19400 S	9.0	53.1F	51.0F
4439		AQUI ESTA DR, 500 FT NE OF US-41, PUNTA GORDA	N	2300E	S	2100E	4400 S	9.0	53.1F	51.0F
4440		DEBORAH DR, BTWN CHARLOTTE AMALIE CT AND WYATT C	N	950	S	900	1850 C	9.0	53.1F	51.0F
4441		WHIPPOORWILL BLVD, BTWN ALBATROSS DR AND KINGLET	N	1100	S	1100	2200 C	9.0	53.1F	51.0F
4442		QUESADA AVE, BTWN HINTON ST AND DORCHESTER ST	E	2500	W	2000	4500 C	9.0	53.1F	51.0F
4443		ORLANDO BLVD, 150 FT S OF PEACHLAND BLVD	N	700	S	700	1400 C	9.0	53.1F	51.0F
4444		CAMPBELL ST, 150 FT N OF CHAMBERLAIN BLVD	N	150E	S	150E	300 S	9.0	53.1F	11.7P
4445		JACOBS STREET, BTWN PULLEN AND BENDER AVE	N	1800E	S	1800E	3600 S	9.0	53.1F	51.0F
4446		PARADE ROAD		0E		0E	4100 X	9.0	53.1F	51.0F
4447		QUESADA AVE		0E		0E	5600 X	9.0	53.1F	16.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
2025 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 01 CHARLOTTE

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
4448		YORKSHIRE ST.		0E		0E	5600 X	9.0	53.1F	9.5F
4449		KENILWORTH BLVD		0E		0E	5600 X	9.0	53.1F	9.5F
4450		HARNESS RD, BTWN GASPARILLA RD AND MOCKINGBIRD D	E	150E	W	150E	300 S	9.0	53.1F	51.0F
4451		ROTUNDA BLVD. E., E OF BOUNDARY BLVD	E	2600E	W	2700E	5300 T	9.0	53.1F	51.0F
4452		BISCAYNE BLVD, BTWN CLEARVIEW DR AND EPPINGER DR	N	300	S	200	500 C	9.0	53.1F	51.0F
4453		CORNELIUS BLVD, 150 FT S OF CAROUSEL LN	N	1200	S	1600	2800 C	9.0	53.1F	51.0F
4454		ATWATER STREET, BTWN SPANGLER TERR AND ELROSE AV	N	4700E	S	5600E	10300 T	9.0	53.1F	51.0F
4455		RIO DE JANIERO AVE S OF TATTERSALL LN	N	1800	S	2000	3800 C	9.0	53.1F	51.0F
4456		SUNNYBROOK BLVD, BTWN CARNEGIE AVE AND PENDLETON	N	2300	S	2100	4400 C	9.0	53.1F	51.0F
4457		SPINNAKER BLVD, BTWN OCEANSPRAY BLVD AND BENTLEY	N	900	S	750	1650 C	9.0	53.1F	51.0F
4458		WILLMINGTON BLVD, BTWN LAFITTE PL/CLAREMONT DR A	E	1900	W	1900	3800 C	9.0	53.1F	51.0F
4459		W OLYMPIA AVE, 250 FT SW OF SHREVE ST	N	4200		0	4200 C	9.0	99.9W	51.0F
4461		SAN CASA RD, 150 FT N OF WORTH AVE	N	2500	S	2300	4800 C	9.0	53.1F	51.0F
4462		CAPE HAZE DR, 270 FT N OF LINKS LN	N	1000	S	950	1950 C	9.0	53.1F	51.0F
4464		HARBOR BLVD, 400 FT N OF PEACHLAND BLVD	N	650	S	900	1550 C	9.0	53.1F	51.0F
4465		PUNTA GORDA BCH RD, 830 FT E OF RNDABOUT, AT BRI	E	3100	W	3100	6200 C	9.0	53.1F	51.0F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

19-FEB-2026 11:48:29

PAGE -09-

622UPD

1_01_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2025 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 01 CHARLOTTE

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
4466		HARBOR BLVD, 200 FT N OF CONCORD DR	N	2400E	S	2500E	4900 T	9.0	53.1F	51.0F
4467		GILLOT BLVD, 300 FT NW OF DAVID BLVD	N	600	S	600	1200 C	9.0	53.1F	51.0F
4468		BERMONT RD/CR 74, 1100FT E OF SR 31	E	1900	W	2000	3900 C	9.5	53.1F	51.0A
4469		GULFSTREAM BLVD, E OF SUNNYBROOK BLVD, 150 FT E	E	1900	W	1600	3500 C	9.0	53.1F	51.0F
4470		DAVID BLVD		0E		0E	4100 X	9.0	53.1F	51.0F
4471		MARATHON BLVD		0E		0E	4100 X	9.0	53.1F	51.0F
4472		GULF BLVD		0E		0E	4100 X	9.0	53.1F	51.0F
4473		ZEMEL RD		0E		0E	1600 X	9.0	53.3F	11.7F
4474		ENTERPRISE DR.		0E		0E	5600 X	9.0	53.1F	2.7F
4895		ROTONDA BLVD NORTH, N OF ROTONDA CIR	N	1300E	S	1300E	2600 R	9.0	53.1F	5.9F
4900		BOUNDARY BLVD, WEST OF SUNNYBROOK BLVD	E	800E	W	850E	1650 S	9.0	53.1F	5.9F
5001		SR 45/US 41 SOUTH OF MCKENZIE STREET (CH294		E		E	36000 E	9.0	53.3F	16.3F
5015		SR35/US17, S OF BERMONT RD [CH183]	E	15000E	W	14500E	29500 F	9.0	51.8F	21.1P
5018		SR45/US41 NW OF CR776/HARBORVIEW RD (CH 2	N	23000E	S	22500E	45500 S	9.0	53.3F	6.4P
5023		SR 45/US 41 SB/CROSS ST, SE OF CHARLOTTE AVE (CH		0E		0E	20000 F	9.0	99.9W	5.2P
5024		SR 35/US 17 100' SOUTHWEST OF SR 93/I 75 CH1	E	10000E	W	12500E	22500 F	9.0	53.3F	7.9P

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

19-FEB-2026 11:48:29

PAGE -10-

622UPD

1_01_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2025 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 01 CHARLOTTE

SITE =====	SITE TYPE =====	DESCRIPTION =====		DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5025		SR 35/US 17 NB/OLYMPIA AV, NE OF DUPONT ST CH2		0E		0E		9900 F	9.0	99.9W	5.5P
5027		SR45/US41 NB/TAMIAMI TR, NW OF OLYMPIA AVE (CH		0E		0E		19000 F	9.0	99.9W	6.3P
5036		SR 35/US 17 NB/OLYMPIA AVE, NE OF COOPER ST CH30	N	11000		0		11000 C	9.0	99.9W	7.4A
5037		SR 35/US 17 SB/MARION AV, NE OF COOPER ST CH302		0E		0E		16500 E	9.0	99.9W	7.4F
5038		SR35/US17 NB/OLYMPIA AV, NE OF SR45/US41 SB CH3		0E		0E		13500 F	9.0	99.9W	3.3P
5039		SR35/US17 SB/MARION AV, NE OF SR45/US41 SB CH3		0E		0E		7200 F	9.0	99.9W	5.2P
5042		SR45/US41, NW OF MIDWAY BLVD (CH 295)	N	31500	S	29000		60500 C	9.0	53.3F	2.7A
7001		SR93/I-75 NB,OFF-RAMP TO CR762/TUCKERS BLVD X1	N	2600		0		2600 C	10.5	99.9W	15.8F
7002		SR93/I-75 SB,ON-RAMP FROM CR762/TUCKERS BLVD X1	S	2600		0		2600 C	10.5	99.9W	15.8F
7003		SR93/I-75 NB,ON-RAMP FROM CR762/TUCKERS BLVD X1	N	5600		0		5600 C	10.5	99.9W	15.9F
7004		SR93/I-75 SB,OFF-RAMP TO CR762/TUCKERS BLVD X1	S	5000		0		5000 C	10.5	99.9W	15.9F
7011		SR93/I-75 NB,OFF-RAMP TO CR768/N JONES LOOP X1		0E		0E		4100 S	10.5	99.9W	15.8F
7012		SR93/I-75 SB,ON-RAMP FROM CR 768/N JONES LOOP X1		0E		0E		4600 S	10.5	99.9W	15.8F
7013		SR93/I-75 NB,ON-RAMP FROM CR768/N JONES LOOP X1		0E		0E		8000 S	9.0	99.9W	15.8F
7014		SR93/I-75 SB,OFF-RAMP TO CR768/N JONES LOOP X1		0E		0E		8500 S	10.5	99.9W	15.8F
7021		SR93/I-75 NB,OFF-RAMP TO SR35/US17 X1	N	6300		0		6300 C	9.0	99.9W	15.9F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

19-FEB-2026 11:48:29

PAGE -11-

622UPD

1_01_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2025 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 01 CHARLOTTE

SITE =====	SITE TYPE =====	DESCRIPTION =====		DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
7022		SR93/I-75 SB, ON-RAMP FROM SR35/US17	X1	S	5600	0		5600 C	9.0	99.9W	15.9F
7023		SR93/I-75 NB, ON-RAMP FROM SR35/US17	X1	N	9000	0		9000 C	9.0	99.9W	15.9F
7024		SR93/I-75 SB, OFF-RAMP TO SR35/US17	X1	S	9800	0		9800 C	9.0	99.9W	15.9F
7031		SR93/I-75 NB, OFF-RAMP TO CR776/HARBOR VIEW	X1		0E	0E		5500 S	9.0	99.9W	9.5F
7032		SR93/I-75 SB, ON-RAMP FROM CR776/HARBOR VIEW	X1		0E	0E		6300 S	9.0	99.9W	9.5F
7033		SR93/I-75 NB, ON-RAMP FROM CR776/HARBOR VIEW	X1		0E	0E		2100 S	9.0	99.9W	9.5F
7034		SR93/I-75 SB, OFF-RAMP TO CR776/HARBOR VIEW	X1		0E	0E		2000 S	9.0	99.9W	9.5F
7041		SR93/I-75 NB, OFF-RAMP TO CR769/KINGS HWY	X1	N	11500	0		11500 C	9.0	99.9W	9.5F
7042		SR93/I-75 SB, ON-RAMP FROM CR769/KINGS HWY	X1	S	11000	0		11000 C	9.0	99.9W	9.5F
7043		SR93/I-75 NB, ON-RAMP FROM CR769/KINGS HWY	X1	N	7200	0		7200 C	9.0	99.9W	9.5F
7044		SR93/I-75 SB, OFF-RAMP TO CR769/KINGS HWY	X1	S	7400	0		7400 C	9.0	99.9W	9.5F
9233		SR-776, W OF BEACH RD		W	14000E	E	14500E	28500 F	9.0	53.0F	3.2P
9974	T	SR-31, 4.57 MI SOUTH OF CR74, CHARLOTTE CO		N	2831	S	2783	5614 C	9.5	53.1A	38.4A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

19-FEB-2026 11:48:29

PAGE -12-

622UPD

1_01_CAADT.TXT